

# **Free Questions for NCSC-Level-1 by certsinside**

# Shared by Carr on 12-12-2023

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

#### **Question Type:** MultipleChoice

A consultant has deployed a new Nutanix AHV cluster with Foundation. The customer requests separating the management and production traffic in the CVM.

Which feature should the consultant configure?

#### **Options:**

- A- Micro-segmentation
- B- Multi-homing
- C- Network Segmentation
- **D-** VLAN Tagging

Answer:	
В	

### **Question 2**

#### **Question Type:** MultipleChoice

During the Foundation imaging process, nodes are successfully imaged, but the cluster creation fails.

Which log should the consultant review to determine the cause?

A- service.log B- foundation.out		
B- foundation.out		
C- first_boot.log		
D- genesis.out		

#### Answer:

А

### **Question 3**

**Question Type:** MultipleChoice

A consultant is using a customer's switch for installation. Although the 10GbE ports for each of the hosts are connected to the switch, the nodes fail to be discovered.

What is causing the issue?

#### **Options:**

A- IPv6 is not enabled on the switch.

**B-** IPMI port is not plugged in.

C- Foundation VM is running on a Windows host.

**D-** 10GbE ports are configured with the incorrect duplex setting.

#### Answer:

А

# **Question 4**

**Question Type:** MultipleChoice

A consultant notices while assigning VLAN tags to hosts and CVMs in a running cluster, that Prism Element displays alerts indicating a node is down.

What should the consultant do to prevent these alerts?

#### **Options:**

A- Restart the Nutanix cluster.

B- Only change the Controller Virtual Machine VLANs.

**C-** Only change the hypervisor VLANs.

**D-** Stop the Nutanix cluster before changing VLANs.

#### Answer:

D

### **Question 5**

**Question Type:** MultipleChoice

A consultant is onsite and needs to start their Foundation Virtual Machine (FVM) to image Nutanix hardware. The FVM fails to boot. The consultant decides to use a different Foundation method.

Assuming the nodes will discover, which Foundation type or configuration option should the consultant select?

Options:		
A- Foundation VM		
B- Use IPMI IPs		
C- Use IPMI MACs		
D- Foundation Applet		

#### Answer:

D

### **Question 6**

**Question Type:** MultipleChoice

What is the minimum number of nodes required for a Nutanix Cluster to support Replication Factor 3 (RF3) on a storage container?

Options:			
<b>A-</b> 3			
<b>B-</b> 4			
<b>C-</b> 5			
<b>D-</b> 6			
Answer:			

С

# **Question 7**

#### **Question Type:** MultipleChoice

After deploying an AHV cluster connected to Cisco Nexus 9k switches, unexpected network behavior is observed. The consultant needs to rule out physical network mis-cabling without returning to the datacenter.

Which command from the host should the consultant run?

### **Options:**

- A- show Ildp neighbors
- B- show cdp neighbors
- C- show interfaces
- D- Ildpctl

#### Answer:

D

### **To Get Premium Files for NCSC-Level-1 Visit**

https://www.p2pexams.com/products/ncsc-level-1

### **For More Free Questions Visit**

https://www.p2pexams.com/nutanix/pdf/ncsc-level-1

