



Free Questions for CRT-600 by certsinside

Shared by Barron on 05-09-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Refer to the code below:

```
Let car1 = new Promise((_ , reject) =&gt;{
setTimeout(reject, 2000, "car 1 crashed in" =&gt;{
Let car2 =new Promise(resolve =&gt;{ setTimeout(resolve, 1500, "car 2 completed")
Let car3 =new Promise(resolve =&gt;{ setTimeout(resolve, 3000, "car 3 completed")
Promise.race(( car1, car2, car3))
.then (value =&gt;{ (
Let result = `${value} the race.);}
.catch(arr =&gt;{ {
console.log("Race is cancelled.", err);
});
```

What is the value of result when Promise.race executes?

Options:

- A) Car 3 completes the race
- B) Car 2 completed the race.
- C) Car 1 crashed in the race.
- D) Race is cancelled.

Answer:

B

Question 2

Question Type: MultipleChoice

Refer to the code below:

```
new Promise((resolve, reject) =&gt; {  
  
  const fraction = Math.random();  
  
  if( fraction &gt;0.5) reject('fraction &gt; 0.5, ' + fraction);  
  
  resolve(fraction);
```

```
})  
  
.then(() =&gt; console.log('resolved'))  
  
.catch((error) =&gt; console.error(error))  
  
.finally(() =&gt; console.log(' when am I called?'));
```

image not found or type unknown



When does Promise.finally on line 08 get called?

Options:

- A) When rejected
- B) When resolved and settled
- C) When resolved
- D) When resolved or rejected

Answer:

D

Question 3

Question Type: MultipleChoice

Refer to the following code:

```
&lt;html lang="en"&gt;
```

```
&lt;body&gt;
```

```
&lt;button id ="myButton"&gt;Click me&lt;/button&gt;
```

```
&lt;/body&gt;
```

```
&lt;script&gt;
```

```
function displayMessage(ev) {
```

```
ev.stopPropagation();
```

```
console.log('Inner message.');
```

```
}
```

```
const elem = document.getElementById('myButton');
```

```
elem.addEventListener('click' , displayMessage);
```

</script>

</html>

What will the console show when the button is clicked?

Options:

A) Outer message

B) Outer message

Inner message

C) Inner message

Outer message

D) Inner message

Answer:

D

Question 4

Question Type: MultipleChoice

Refer to the code below:

```
let timeFunction = () => {
```

```
  console.log("Timer called.");
```

```
};
```

```
let timerId = setTimeout (timeFunction, 1000);
```

Which statement allows a developer to cancel the scheduled timed function?

Options:

A) removeTimeout(timeFunction);

B) removeTimeout(timerId);

C) clearTimeout(timerId);

D) clearTimeout(timeFunction);

Answer:

C

Question 5

Question Type: MultipleChoice

Refer to the code below:

```
&lt;html lang="en"&gt;
&lt;table onclick="console.log(Table log);"&gt;
&lt;tr id="row1"&gt;
&lt;td&gt;Click me!&lt;/td&gt;
&lt;/tr&gt;
&lt;/table&gt;
&lt;script&gt;
function printMessage(event) {
  console.log('Row log');
}
Let elem = document.getElementById('row1');
elem.addEventListener('click', printMessage, false);
```


</script>

</html>

Which code change should be made for the console to log only Row log when 'Click me! ' is clicked?

Options:

- A) Add `event.stopPropagation();` to `window.onLoad` event handler.
- B) Add `event.stopPropagation();` to `printMessage` function.
- C) Add `event.removeEventListener();` to `window.onLoad` event handler.
- D) Add `event.removeEventListener();` to `printMessage` function.

Answer:

B

Question 6

Question Type: MultipleChoice

Refer to following code block:

```
Let array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,];
```

```
Let output =0;
```

```
For (let num of array){
```

```
if (output &gt;0){
```

```
Break;
```

```
}
```

```
if(num % 2 == 0){
```

```
Continue;
```

```
}
```

```
Output +=num;
```

What is the value of output after the code executes?

Options:

A) 16

B) 36

C) 11

D) 25

Answer:

A

Question 7

Question Type: MultipleChoice

Refer to the code snippet below:

```
Let array = [1, 2, 3, 4, 4, 5, 4, 4];
```

```
For (let i =0; i &lt; array.length; i++){
```

```
  if (array[i] === 4) {
```

```
    array.splice(i, 1);
```

```
  }
```

```
}
```

What is the value of the array after the code executes?

Options:

A) [1, 2, 3, 4, 5, 4, 4]

B) [1, 2, 3, 4, 4, 5, 4]

C) [1, 2, 3, 4, 5, 4]

D) [1, 2, 3, 5]

Answer:

C

Question 8

Question Type: MultipleChoice

Refer to code below:

```
function Person() {
```

```
  this.firstName = 'John';
```

```
}  
  
Person.prototype = {  
  Job: x =&gt; 'Developer'  
};  
  
const myFather = new Person();  
  
const result = myFather.firstName + ' ' + myFather.job();
```

What is the value of the result after line 10 executes?

Options:

- A) Error: myFather.job is not a function
- B) Undefined Developer
- C) John undefined
- D) John Developer

Answer:

D

Question 9

Question Type: MultipleChoice

Given the following code:

```
document.body.addEventListener('click', (event) => {  
  if (/* CODE REPLACEMENT HERE */) {  
    console.log('button clicked!');  
  }  
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

Options:

A) Event.clicked

B) e.nodeTarget ==this

C) `event.target.nodeName === 'BUTTON'`

D) `button.addEventListener('click')`

Answer:

C

To Get Premium Files for CRT-600 Visit

<https://www.p2pexams.com/products/crt-600>

For More Free Questions Visit

<https://www.p2pexams.com/salesforce/pdf/crt-600>

