



Free Questions for 156-585 by [braindumpscollection](#)

Shared by [Anthony](#) on 06-06-2022

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

What components make up the Context Management Infrastructure?

Options:

- A- CMI Loader and Pattern Matcher
- B- CPMI and FW Loader
- C- CPX and FWM
- D- CPM and SOLR

Answer:

A

Question 2

Question Type: MultipleChoice

Which is the correct "fw monitor" syntax for creating a capture file for loading it into WireShark?

Options:

- A- fw monitor -e "accept<FILTER EXPRESSION>"; >> Output.cap
- B- This cannot be accomplished as it is not supported with R80.10
- C- fw monitor -e "accept<FILTER EXPRESSION>"; -file Output.cap
- D- fw monitor -e "accept<FILTER EXPRESSION>"; -o Output.cap

Answer:

D

Question 3

Question Type: MultipleChoice

Which command(s) will turn off all vpn debug collection?

Options:

A- vpn debug off

B- vpn debug -a off

C- vpn debug off and vpn debug ikeoff

D- fw ctl debug 0

Answer:

C

Question 4

Question Type: MultipleChoice

What is the main SecureXL database for tracking acceleration status of traffic?

Options:

A- cphwd_db

B- cphwd_tmp1

C- cphwd_dev_conn_table

D- cphwd_dev_identity_table

Answer:

B

Question 5

Question Type: MultipleChoice

Check Point Access Control Daemons contains several daemons for Software Blades and features. Which Daemon is used for Application & Control Filtering?

Options:

A- rad

B- cprad

C- pepd

D- pdpd

Answer:

A

Question 6

Question Type: MultipleChoice

Which command is used to write a kernel debug to a file?

Options:

A- fw ctl debug -T -f > debug.txt

B- fw ctl kdebug -T -l > debug.txt

C- fw ctl debug -S -t > debug.txt

D- fw ctl kdebug -T -f > debug.txt

Answer:

D

Question 7

Question Type: MultipleChoice

What is the proper command for allowing the system to create core files?

Options:

A- \$FWDIR/scripts/core-dump-enable.sh

B- # set core-dump enable
save config

C- service core-dump start

D- >set core-dump enable
>save config

Answer:

D

Question 8

Question Type: MultipleChoice

What table does command "fwaccel conns" pull information from?

Options:

- A- fwxl_conns
- B- SecureXLCon
- C- cphwd_db
- D- sxl_connections

Answer:

A

Question 9

Question Type: MultipleChoice

Your users have some issues connecting Mobile Access VPN to the gateway. How can you debug the tunnel establishment?

Options:

- A-** in the file \$CVPNDIR/conf/httpd.conf change the line LogLevel debug and run cvpnrestart
- B-** run vpn debug truncon
- C-** run fw ctl zdebug -m sslvpn all
- D-** in the file \$VPNDIR/conf/httpd.conf the line LogLevel debug and run vpn restart

Answer:

A

Question 10

Question Type: MultipleChoice

What file contains the RAD proxy settings?

Options:

A- rad_settings.C

B- rad_services.C

C- rad_scheme.C

D- rad_control.C

Answer:

A

Question 11

Question Type: MultipleChoice

James is using the same filter expression in fw monitor for CITRIX very often and instead of typing this all the time he wants to add it as a macro to the fw monitor definition file. What's the name and location of this file?

Options:

A- \$FWDIR/lib/fwmonltor.def

B- \$FWDIR/conf/fwmonltor.def

C- \$FWDIR/lib/tcpip.def

D- \$FWDIR/lib/fw.monitor

Answer:

A

Question 12

Question Type: MultipleChoice

How many tiers of pattern matching can a packet pass through during IPS inspection?

Options:

A- 2

B- 1

C- 5

D- 9

Answer:

A

To Get Premium Files for 156-585 Visit

<https://www.p2pexams.com/products/156-585>

For More Free Questions Visit

<https://www.p2pexams.com/checkpoint/pdf/156-585>

