Free Questions for 200-901 by go4braindumps

Shared by Ramirez on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Refer to the exhibit.

```
#! /bin/bash
apt-get update
apt-get -y install git
cd Code/Network_Config
mkdir PRODUCTION
cd PRODUCTION
touch state.yml
vi state.yml
```

Refer to the exhibit. A network engineer executes the bash script shown. Which two things are achieved by running the script? (Choose two.)

Options:

A- A directory called PRODUCTION is created.

B- The engineer changes to the parent directory.

C- A YAML file is created.

D- A YAML file is removed.

E- A directory called state.yml is created.

Answer:

A, C

Question 2

Question Type: DragDrop

Refer to the exhibit.

Devices

Get Device Count

`GET` `/network-device/count`

Get Device List

`GET` `/network-device`

Get Device by ID

`GET` `/network-device/{device_id}`

Get Device by Serial

`GET` `/network-device/serial-number/{serial_number}`

reply   a/system/api/v1/auth/token

list devices   ntent/api/v1/network-device/count

- GET /dna/intent/api/v1/network-device

- GET /dna/intent/api/v1/network-device/<device_id>

```python
import json, requests, urllib3
from requests.auth import HTTPBasicAuth
from config import host, username, password

headers = { 'content-type': "application/json", 'x-auth-token': "" }
def dna_api_auth(host, username, password):
    url = "https://{}/api/system/v1/auth/token".format(host)
    response = [          ]         .post(url, auth=HTTPBasicAuth(username, password),
        headers=headers, verify=False)
    return response.json()["Token"]

def list_dna_devices(token):
    url = "https://{}/api/v1/network-device".format(host)
    headers["x-auth-token"] = token
    response = requests.get(url, headers=headers, verify=False)
    data = [          ]        .json()
    for item in data['response']:
        print(item["hostname"])

token = [          ]        (host, username, password)
[          ]        (token)
```

reply ›nse	reply	dna_api_auth	requests

list devices ּ	list_dna_devices	list devices

Question 3

Refer to the exhibit. An engineer is comparing two files by using the unified diff format. Which cade snippet belongs to the new.py file?

A.

```
77 query_string_params = {'platformId':
'AIR-AP1141N-A-K9'}
```

B.

```
21 print(item['id'], item['hostname']]
```

C.

```
24 print(item['id'], item['hostname'],
item['managementIpAddress'])
```

D.

```
66 # print devices list filtered by
hostname
67 print('\nPrinting device list
filtered by hostname ...')
68 query_string_params = {'hostname':
'CSR1Kv-01.devnet.local'}
69 response = get_devices_list
(headers, query_string_params)
70 print_devices_info(response)
```

Options:

A- Option A

B- Option B

C- Option C

D- Option D

Answer:

A

Question 4

Users cannot access a webserver and after the traffic is captured, the capture tool snows an ICMP packet that reports "time exceeded in-transit". What is the cause of this webserver access issue?

Options:

A- The large distance between the server and the users means that the packets require too much time to reach the destination.

B- A router along the path is misrouting the packets in a wrong direction.

C- A router along the path has the wrong time.

D- The server is overloaded and the connection was not able to be processed in time.

Answer:

B

Question 5

What is a characteristic of Waterfall compared to Agile software development method?

Question 6

Question Type: DragDrop

Refer to the exhibit.

POST `/v1/meetings`

Body Parameters ⌃

`title`

string Required

Meeting title. The title can be a maximum of 128 characters long.

`agenda`

string

Meeting agenda. The agenda can be a maximum of 2500 characters long.

`password`

string

Meeting password. Must conform to the site's password complexity settings. Read password management for details. If not specified, a random password conforming to the site's password rules will be generated automatically.

`start`

string Required

payload

POST

and time for the start of meeting in any ISO 8601 compliant format.

start cannot be before current date and time or after end. Duration between `start` and `end` cannot be shorter than 10 minutes or longer than 24 hours.

`end`

string Required

```
import requests, json

Answer: [        ]  = 'eyJhbGc  ...  yJbN8'

headers = {
    'Authorization': f'Bearer {token}',
    'Content-Type': 'application/json'
}
```

Question 7

```
payload = {
    "title": "DevNet Webex Discussion",
    "password": "AGrtg1234",
    "start": "2020-11-10T15:00:00Z",
    "end": "2020-11-10T17:00:00Z",
    "enabledAutoRecordMeeting": False,
    "allowAnyUserToBeCoHost": False
}
```

Which network constraint causes the performance of the application to decrease as the number of users accessing the application increases?

```
response = requests.request(" [                ] ", f'{BASE_URL}/ [                ] ',
headers=headers, data=json.dumps( [                ] ))
print(response.text.encode('utf8'))
```

Options:

A- latency

B- loss

C- bandwidth

D- jitter

payload	payload	PUT	token
POST	v1/meeting	v1/meetings	POST

Answer:

C

Question 8

Which technology is responsible for matching a name to an IP address of an application running on a host?

Options:

A- firewall

B- proxy

C- load balancer

D- DNS

Answer:

D