

Free Questions for 300-415 by braindumpscollection

Shared by Simmons on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

How are custom application ports monitored in Cisco SD-WAN controllers?

Options:

- A- Customers add custom application ports in vAnalytics and vManage.
- B- Customers add custom application ports in vAnalytics and vSmart.
- C- Cisco adds custom application ports In vAnalytics and vManage.
- D- Cisco adds custom application ports In vAnalytics and vSmart.

Answer:

Α

Question 2

Question Type: MultipleChoice

What is the OMP graceful restart default value on vSmart controllers and WAN Edge routers?

Options:

- **A-** 21,600 seconds
- **B-** 43,200 seconds
- **C-** 86,400 seconds
- D- 604,800 seconds

Answer:

В

Question 3

Question Type: DragDrop

Drag and drop the steps from the left into the sequence on the right for a WAN Edge router after powering on for zero touch provisioning.

Router contacts a DNS service.	1	
Answertablishes a connection to vBond. 10 vBond.	2	
Router contacts a DHCP server. s a DHCP server.	3	
Question 4		
Router connects to the ZTP server. the ZTP server. Question Type: MultipleChoice	4	

Which policy allows communication between TLOCs of data centers and spokes and blocks communication between spokes?

Options:

- A- centralized data policy
- B- centralized control policy
- C- localized control policy
- **D-** localized data policy

Answer:

В

Question 5

Question Type: MultipleChoice

Which feature delivers traffic to the Cisco Umbrella SIG cloud from a Cisco SD-WAN domain?

Options:

A- L2TPv3 tunnel

B- IPsec tunnel

C- local umbrella agent

D- source NAT

Answer:

В

Question 6

Question Type: MultipleChoice

What must an engineer conewef when decoying an SD-WAN on-pfemlses architecture based on ESXi hypervisor?

Options:

- A- Cisco must provision the backup and snapshots platform for the SD-WAN arctoecture
- B- The managed service provider must provision controllars with their appropriate cerHwcatsi
- C- The IT team a required to provision the SO-WAN controllers and Is responsAte for backups and disaster recovery implementation
- D- The IT team will be given access by Cisco to a vManage for configuration If templates and policies coeigmalim

Answer:

C

Question 7

Question Type: MultipleChoice

Which protocol Is used by the REST API to communicate with network services in the Cisco SO-WAN network?

Options:

- A- SSL
- B- HTTP
- C- iPsec
- D- SSM

Answer:

В

To Get Premium Files for 300-415 Visit

https://www.p2pexams.com/products/300-415

For More Free Questions Visit

https://www.p2pexams.com/cisco/pdf/300-415

