



Free Questions for 300-730 by go4braindumps

Shared by Walls on 07-06-2022


For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Refer to the exhibit.



All internal clients behind the ASA are port address translated to the public outside interface that has an IP address of 3.3.3.3. Client 1 and client 2 have established successful SSL VPN connections to the ASA. What must be implemented so that "3.3.3.3" is returned from

a browser search on the IP address?

Options:

- A) Same-security-traffic permit inter-interface under Group Policy
- B) Exclude Network List Below under Group Policy
- C) Tunnel All Networks under Group Policy
- D) Tunnel Network List Below under Group Policy


Answer:

D

Question 2

Question Type: MultipleChoice

Refer to the exhibit.



Client 1 cannot communicate with client 2. Both clients are using Cisco AnyConnect and have established a successful SSL VPN connection to the hub ASA. Which command on the ASA is missing?

Options:

- A) dns-server value 10.1.1.2
- B) same-security-traffic permit intra-interface
- C) same-security-traffic permit inter-interface
- D) dns-server value 10.1.1.3


Answer:

B

Question 3

Question Type: MultipleChoice

Refer to the exhibit.



Client 1 cannot communicate with client 2. Both clients are using Cisco AnyConnect and have established a successful SSL VPN connection to the hub ASA. Which command on the ASA is missing?

Options:

- A) dns-server value 10.1.1.2
- B) same-security-traffic permit intra-interface
- C) same-security-traffic permit inter-interface
- D) dns-server value 10.1.1.3


Answer:

B

Question 4

Question Type: MultipleChoice

Refer to the exhibit.



All internal clients behind the ASA are port address translated to the public outside interface that has an IP address of 3.3.3.3. Client 1 and client 2 have established successful SSL VPN connections to the ASA. What must be implemented so that "3.3.3.3" is returned from a browser search on the IP address?

Options:

- A) Same-security-traffic permit inter-interface under Group Policy
- B) Exclude Network List Below under Group Policy
- C) Tunnel All Networks under Group Policy
- D) Tunnel Network List Below under Group Policy

Answer:

D

To Get Premium Files for 300-730 Visit

<https://www.p2pexams.com/products/300-730>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/300-730>

