

Free Questions for 300-815 by actualtestdumps

Shared by Conley on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

An engineer must implement call restriction to toll-free numbers using a class of restriction in a branch Cisco UCME. In which two places is the corlist incoming or cor Incoming command configured? (Choose two.)

Options:

- A- 'ephone-dn' configuration mode
- B- 'voice register global' configuration mode
- C- 'telephony-service' configuration mode
- D- 'voice register pool' configuration mode
- E- 'dial-peer cor custom' configuration mode

Answer:

A, D

Question 2

Refer to the exhibit.

```
dial-peer voice 100 voip
description Outbound to CUCM
translation-profile outgoing CUCM
session protocol sipv2
session target ipv4:192.168.100.200
voice-class sip transport switch udp tcp
voice-class sip conn-reuse
voice-class sip rel1xx disable
voice-class sip session refresh
voice-class sip midcall-signaling block
voice-class sip early-media update block
dtmf-relay rtp-nte
codec g711ulaw
no vad
```

An engineer is troubleshooting an issue where inbound calls to Cisco UCM with early media fail to establish. While investigating the issue, the engineer finds that Cisco UCM is set to require a PRACK. but the Cisco Unified Border Element is not sending it. Which command is causing this issue?

0	b	ti	O	n	S	
	~	•			$\overline{}$	-

- A- voice-class sip rel1xx disable
- B- voice-class sip early-media update block
- C- voice-class midcall-signaling block
- D- voice-class sip conn-reuse

Answer:

Α

Question 3

Question Type: MultipleChoice

An administrator is troubleshooting call failures on an H.323 gateway via the CLI. To see signaling for media and call setup, which two debugs must the administrator turn on? (Choose two).

Options:

- A- debug H.245 asn1
- B- debug H.323 message
- C- debug H.225 asn1
- D- debug H.225 media
- E- debug H.323 asn1

Answer:

A, C

Question 4

Question Type: MultipleChoice

Due to a shortage of physical interfaces on a device the administrator requires that a loopback for RTP is used. Which command is required when using a loopback interface for RTP?

Options:

A- voice-class sip resources priority mode passthrough

- B- voice-class sip bind control source-interface Loopback0
- C- voice-class sip early-offer forced.
- D- voice-class sip bind media source-interface Loopback0

Answer:

D

Question 5

Question Type: MultipleChoice

Which services are needed to successfully implement Cisco Extension Mobility in a standalone Cisco Unified Communications Manager server?

Options:

- A- Cisco Extended Functions, Cisco Extension Mobility, and Cisco AXL Web Service
- B- Cisco CallManager, Cisco TFTP, and Cisco CallManager SNMP Service
- C- Cisco CallManager, Cisco TFTP, and Cisco Extension Mobility

D- Cisco TAPS Service, Cisco TFTP, and Cisco Extension Mobility	
Answer:	
С	
Question 6	
Question Type: MultipleChoice	
What are the elements for Device Mobility configuration?	
Options:	
A- physical location, device pool, and Device Mobility group	
B- device pool, Device Mobility group, and region	
C- physical location. Device Mobility group, and region	
D- device pool, Device Mobility group, and Cisco IP phone	
Answer:	

Question 7

Question Type: MultipleChoice

A user reports when they press the services key they do not receive a user ID and password prompt to assign the phone extension. Which action resolves the issue?

Options:

- A- Create the default device profiles for all phone models that are used.
- B- Subscribe the phone to the Cisco Extension Mobility service.
- C- Create the end user and associate it to the device profile.
- **D-** Assign the extension as a mobile extension.

Answer:

В

To Get Premium Files for 300-815 Visit

https://www.p2pexams.com/products/300-815

For More Free Questions Visit

https://www.p2pexams.com/cisco/pdf/300-815

