



Free Questions for 500-451 by certsdeals

Shared by Woods on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which option describes the benefits of a secure BYOD architecture using SGT?

Options:

- A- complex network design and lower operational costs
- B- eliminates ACL explosion and offloads filtering to ASA for rich and scalable policy rule automation
- C- complex network design and topology dependent segmentation using Security Group
- D- Segmentation using Security Group is topology dependent and offloads filtering to ASA for rich and scalable policy rule automation.

Answer:

B

Question 2

Question Type: MultipleChoice

What is ISE profiling?

Options:

- A-** a feature used to identify the endpoints based on network data obtained from a number of enabled probes
- B-** an ISE function used for applying security templates to endpoints when ISE is integrated with Cisco Prime Infrastructure
- C-** a dynamic policy feature that uses a number of enabled probes to apply the correct ACL to roaming wireless endpoints
- D-** a form used for self-onboarding of wireless devices

Answer:

A

Question 3

Question Type: MultipleChoice

Which dashboard under Overview in Prime Infrastructure 2.0 do you use to identify authentication failures and client status?

Options:

- A- AVC dashboard
- B- Client dashboard
- C- General dashboard
- D- Context Aware dashboard

Answer:

B

Question 4

Question Type: MultipleChoice

Which step is one of the typical configuration steps when configuring Flow Exporter for Prime Infrastructure 2.0 or higher?

Options:

- A- Set the IP address to export the Flexible NetFlow cache entry to a destination system.

- B-** Configure the source IP address interface for each interface part of Flexible NetFlow exporter.
- C-** Configure the TCP transport protocol and a TCP port number 1991 for a Flexible NetFlow flow exporter.
- D-** Configure the TCP transport protocol and a TCP port number 9991 for a Flexible NetFlow flow exporter.

Answer:

A

Question 5

Question Type: MultipleChoice

Which action is required when configuring Flexible NetFlow on a Cisco Catalyst switch?

Options:

- A-** Configure the flow descriptor.
- B-** Configure the flow exporter.
- C-** Configure the flow importer.
- D-** Configure the flow reset target.

Answer:

B

Question 6

Question Type: MultipleChoice

Which feature is used on the Catalyst 6500 Series Switch for real-time traffic capture and decoding?

Options:

A- Lancope Lite

B- Packet Monitor

C- Mini Protocol Analyzer

D- Inline Wireshark module

Answer:

C

Question 7

Question Type: MultipleChoice

A network administrator is using the Embedded Event Manager, which is supporting multiple actions initiated from the script. Which two policy actions can be used within the EEM? (Choose two)

Options:

- A- Execute a Tcl script.
- B- Send an email.
- C- Run another policy.
- D- Hot swap the supervisor.
- E- Manually send an SNMP trap.

Answer:

B, C

Question 8

Question Type: MultipleChoice

A customer is configuring the IP SLA Embedded Event Manager applet. What is the meaning of this configuration line within the applet: "event track 100 state down"?

Options:

- A-** Track 100 down state events and create a syslog message when the 100th down state is detected.
- B-** The tracking event '100' configured separately is used to detect the down state.
- C-** If there is a down state for 100 seconds, trigger the applet actions.
- D-** Stop tracking the interface if it flaps more than 100 times.

Answer:

B

Question 9

Question Type: MultipleChoice

When managing Security Group Access in Cisco ISE 1.2, what is the description of the mapped cells matrix element?

Options:

- A- the source SGT names and the assigned 16-bit tag
- B- the destination SGT names and the assigned 16-bit tag
- C- when a source and destination pair of SGTs is not assigned any SGACLs or a status
- D- when a source and destination pair of SGTs is assigned an order of SGACLs and has a specified status

Answer:

D

Question 10

Question Type: MultipleChoice

Which statement about single SSID wireless BYOD is true?

Options:

- A- uses only secure wireless
- B- has a dedicated open SSID for onboarding provisioning
- C- has a separate secure SSID for enhanced security on the network
- D- supports guests and employees and is the preferred method

Answer:

A

Question 11

Question Type: MultipleChoice

Which option is performed exclusively by the mobility agent?

Options:

- A- key distribution to all mobility controllers
- B- 802.11 device location calculation
- C- CAPWAP tunnels termination

D- central radio resource management tasks

Answer:

C

To Get Premium Files for 500-451 Visit

<https://www.p2pexams.com/products/500-451>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/500-451>

