



**Free Questions for 1Y0-241 by certsdeals**

**Shared by Huff on 07-06-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

**Question Type:** MultipleChoice

---

Scenario: While attempting to access web server that is load balanced by a Citrix ADC using HTTPS, a user receives the message below.

SSL/TLS error: You have not chosen to trust "Certificate Authority" the issuer of the server's security certificate.

What can a Citrix Administrator do to prevent users from viewing this message?

## Options:

---

- A) Ensure that users have the certificate's private key.
- B) Ensure that users have the certificate's public key.
- C) Ensure that the server certificate is linked to its respective intermediate and root certificates.
- D) Ensure that users have the server certificate installed.

## Answer:

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

Scenario:

POLICY 1:

```
add rewrite action ACT_1 corrupt_http_header Accept-Encoding
```

```
add rewrite policy POL_1 HTTPS.REQ.IS_VALID ACT_1
```

POLICY 2:

```
add rewrite action ACT_2 insert_http_header Accept-Encoding "\"identity\""
```

```
add rewrite policy POL_2 "HTTP.REQ.IS_VALID " ACT_2
```

How can a Citrix Administrator successfully bind the above rewrite policies to the load-balancing vServer

lb\_vsrv so that POL\_2 is evaluated after POL\_1 is evaluated?

**Options:**

---

**A)** bind lb vServer lb\_vsrv --policyName POL\_1 --priority 110 --gotoPriorityExpression NEXT --type REQUEST  
bind lb vServer lb\_vsrv --policyName POL\_2 --priority 100 --gotoPriorityExpression END --type REQUEST

- B)** bind lb vServer lb\_vsrv --policyName POL\_1 --priority 90 --gotoPriorityExpression NEXT --type REQUEST  
bind lb vServer lb\_vsrv --policyName POL\_2 --priority 100 --gotoPriorityExpression END --type REQUEST
- C)** bind lb vServer lb\_vsrv --policyName POL\_1 --priority 90 --gotoPriorityExpression END --type REQUEST  
bind lb vServer lb\_vsrv --policyName POL\_2 --priority 80 --gotoPriorityExpression NEXT --type REQUEST
- D)** bind lb vServer lb\_vsrv --policyName POL\_1 --priority 90 --type REQUEST  
bind lb vServer lb\_vsrv --policyName POL\_2 --priority 100 --type REQUEST

**Answer:**

---

A

## Question 3

---

**Question Type: MultipleChoice**

---

What is the effect of the "set cs vServer-CS-1 --redirectURL http://www.newdomain.com/mysite/" command?

**Options:**

---

- A)** If the vServer-CS-1 encounters a high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.

- B)** If the status of vServer-CS-1 is DOWN, then users will be redirected to http://www.newdomain .com/mysite/.
- C)** All the requests to vServer-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- D)** All the requests without URL path/mysite/ will be redirected to http://www.newdomain.com/mysite/.

**Answer:**

---

B

## Question 4

---

**Question Type:** MultipleChoice

---

Scenario: A Citrix Administrator needs to configure a Responder policy, so that the string "/mytraining" is added to every URL path received.

The administrator should use these commands to accomplish this:

```
>add responder action Redirect_Act redirect "HTTP.REQ.URL.PATH_AND_QUERY+\"mytraining\"" --  
responseStatusCode 302  
  
>add responder policy Redirect_Pol_____Redirect_Act  
  
>bind lb vServer lb_vsrv_www --policyName Redirect_Pol --priority 100 --gotoPriorityExpression END --
```

type\_\_\_\_\_

(Choose the correct option to complete the set of commands.)

### Options:

---

- A) "(HTTP.REQ.URL.STARTSWITH(\"mytraining\"))"  
REQUEST
- B) "(HTTP.REQ.URL.STARTSWITH(\"mytraining\"))"  
RESPONSE
- C) "!(HTTP.REQ.URL.ENDSWITH(\"mytraining\"))"  
REQUEST
- D) "!(HTTP.REQ.URL.ENDSWITH(\"mytraining\"))"  
RESPONSE

### Answer:

---

B

## Question 5

---

Question Type: MultipleChoice

---

What is the effect of the "set cs vServer-CS-1 --redirectURL http://www.newdomain.com/mysite/" command?

**Options:**

---

- A) If the vServer-CS-1 encounters a high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.
- B) If the status of vServer-CS-1 is DOWN, then users will be redirected to http://www.newdomain .com/mysite/.
- C) All the requests to vServer-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- D) All the requests without URL path/mysite/ will be redirected to http://www.newdomain.com/mysite/.

**Answer:**

---

B

## Question 6

---

**Question Type:** MultipleChoice

---

Scenario: While attempting to access web server that is load balanced by a Citrix ADC using HTTPS, a user receives the message below.

SSL/TLS error: You have not chosen to trust "Certificate Authority" the issuer of the server's security certificate.

What can a Citrix Administrator do to prevent users from viewing this message?

**Options:**

---

- A) Ensure that users have the certificate's private key.
- B) Ensure that users have the certificate's public key.
- C) Ensure that the server certificate is linked to its respective intermediate and root certificates.
- D) Ensure that users have the server certificate installed.

**Answer:**

---

B

## Question 7

---

**Question Type:** MultipleChoice

---

Scenario:

POLICY 1:

add rewrite action ACT\_1 corrupt\_http\_header Accept-Encoding



add rewrite policy POL\_1 HTTPS.REQ.IS\_VALID ACT\_1

POLICY 2:

add rewrite action ACT\_2 insert\_http\_header Accept-Encoding "\"identity\""

add rewrite policy POL\_2 "HTTP.REQ.IS\_VALID " ACT\_2

How can a Citrix Administrator successfully bind the above rewrite policies to the load-balancing vServer

lb\_vsrv so that POL\_2 is evaluated after POL\_1 is evaluated?

### Options:

---

- A)** bind lb vServer lb\_vsrv --policyName POL\_1 --priority 110 --gotoPriorityExpression NEXT --type REQUEST  
bind lb vServer lb\_vsrv --policyName POL\_2 --priority 100 --gotoPriorityExpression END --type REQUEST
- B)** bind lb vServer lb\_vsrv --policyName POL\_1 --priority 90 --gotoPriorityExpression NEXT --type REQUEST  
bind lb vServer lb\_vsrv --policyName POL\_2 --priority 100 --gotoPriorityExpression END --type REQUEST
- C)** bind lb vServer lb\_vsrv --policyName POL\_1 --priority 90 --gotoPriorityExpression END --type REQUEST  
bind lb vServer lb\_vsrv --policyName POL\_2 --priority 80 --gotoPriorityExpression NEXT --type REQUEST
- D)** bind lb vServer lb\_vsrv --policyName POL\_1 --priority 90 --type REQUEST  
bind lb vServer lb\_vsrv --policyName POL\_2 --priority 100 --type REQUEST

### Answer:

---

A

## Question 8

---

**Question Type:** MultipleChoice

---

Scenario: A Citrix Administrator needs to configure a Responder policy, so that the string "/mytraining" is added to every URL path received.

The administrator should use these commands to accomplish this:

```
>add responder action Redirect_Act redirect "HTTP.REQ.URL.PATH_AND_QUERY+\"mytraining\" \" --  
responseStatusCode 302
```

```
>add responder policy Redirect_Pol_____Redirect_Act
```

```
>bind lb vServer lb_vsrv_www --policyName Redirect_Pol --priority 100 --gotoPriorityExpression END --
```

```
type_____
```

(Choose the correct option to complete the set of commands.)

**Options:**

---

**A)** "(HTTP.REQ.URL.STARTSWITH(\"mytraining\"))"  
REQUEST

**B)** "(HTTP.REQ.URL.STARTSWITH(\"mytraining\"))"  
RESPONSE

**C)** "!(HTTP.REQ.URL.ENDSWITH(\"mytraining\"))"  
REQUEST

**D)** "!(HTTP.REQ.URL.ENDSWITH(\"mytraining\"))"  
RESPONSE

**Answer:**

---

B

**To Get Premium Files for 1Y0-241 Visit**

**<https://www.p2pexams.com/products/1y0-241>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/citrix/pdf/1y0-241>**

