Free Questions for CWSP-206 by go4braindumps

Shared by Wilkerson on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

A WLAN protocol analyzer trace reveals the following sequence of frames (excluding the ACK frames):

* 802.11 Probe Req and 802.11 Probe Rsp

* 802.11 Auth and then another 802.11 Auth

* 802.11 Assoc Req and 802.11 Assoc Rsp

* EAPOL-KEY

* EAPOL-KEY

* EAPOL-KEY

* EAPOL-KEY

What security mechanism is being used on the WLAN?

Options:

A- WPA2-Personal

B- 802.1X/LEAP

C- EAP-TLS

D- WPA-Enterprise

E- WEP-128

Answer:

A

Question 2

Question Type: **MultipleChoice**

After completing the installation of a new overlay WIPS for the purpose of rogue detection and security monitoring at your corporate headquarters, what baseline function MUST be performed in order to identify the security threats?

Options:

A- Separate security profiles must be defined for network operation in different regulatory domains.

B- WLAN devices that are discovered must be classified (rogue, authorized, neighbor, etc.) and a WLAN policy must define how to classify new devices.

C- Upstream and downstream throughput thresholds must be specified to ensure that service-level agreements are being met.

D- Authorized PEAP usernames must be added to the WIPS server's user database.

Answer:

B

Question 3

Question Type: **MultipleChoice**

WLAN protocol analyzers can read and record many wireless frame parameters. What parameter is needed to physically locate rogue APs with a protocol analyzer?

Options:

A- IP Address

B- Noise floor

C- RSN IE

D- SSID

E- Signal strength

F- BSSID

Answer:

E

Question 4

Question Type: MultipleChoice

When monitoring APs within a LAN using a Wireless Network Management System (WNMS), what secure protocol may be used by the WNMS to issue configuration changes to APs?

Options:

A- PPTP

B- 802.1X/EAP

C- TFTP

D- SNMPv3

E- IPSec/ESP

Answer:

D

Question 5

Question Type: MultipleChoice

What preventative measures are performed by a WIPS against intrusions?

Options:

A- Uses SNMP to disable the switch port to which rogue APs connect.

B- Evil twin attack against a rogue AP.

C- EAPoL Reject frame flood against a rogue AP.

D- Deauthentication attack against a classified neighbor AP.

E- ASLEAP attack against a rogue AP.

Answer:

A

Question 6

Question Type: MultipleChoice

What field in the RSN information element (IE) will indicate whether PSK- or Enterprise-based WPA or WPA2 is in use?

Options:

A- Group Cipher Suite

B- Pairwise Cipher Suite List

C- AKM Suite List

D- RSN Capabilities

Answer:

C

Question 7

What security vulnerability may result from a lack of staging, change management, and installation procedures for WLAN infrastructure equipment?

Options:

A- The WLAN system may be open to RF Denial-of-Service attacks.

B- Authentication cracking of 64-bit Hex WPA-Personal PSK.

C- AES-CCMP encryption keys may be decrypted.

D- WIPS may not classify authorized, rogue, and neighbor APs accurately.

Answer:

D