



CyberArk PAM-SEN Practice Questions

Shared by McCormick on 21-08-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

As a member of a PAM Level-2 support team, you are troubleshooting an issue related to load balancing four PVWA servers at two data centers. You received a note from your Level-1 support team stating "When testing PVWA website from a workstation, we noticed that the "Source IP of last sign-in" was shown as the VIP (Virtual IP address) assigned to the four PVWA servers instead of the workstation IP where the PVWA site was launched from."

Which step should you take?

Options:

- A- Verify the "LoadBalancerClientAddressHeader" parameter setting in PVWA configuration file Web.config is set to "X-Forwarded-For".
- B- Add the VIP (Virtual IP address) assigned to the four PVWA servers to the certificates issued for all four PVWA servers, if missing.
- C- Add a firewall rule to allow the testing workstation to connect to the VIP (Virtual IP address) assigned to the four PVWA servers on Port TCP 443.
- D- Edit the dbparm.ini file on the Vault server and add the IP or subnet of the workstation to the whitelist.

Answer:

A

Question 2

Question Type: OrderList

Arrange the steps to complete CPM Hardening for Out-of-Domain Deployment in the correct sequence.

Answer Area

Unordered Options

Open Powershell as Administrator and run the script.

Review these script logs: HardeningScript.log and CYBRHardeningsecdit.log.

Locate the CPM_Hardening.ps1 script in the installation media.

Ordered Response

Answer:

Locate the CPM_Hardening.ps1 script in the installation media. Open Powershell as Administrator and run the script. Review these script logs: HardeningScript.log and CYBRHardeningsecdit.log.

Question 3

Question Type: MultipleChoice

Which keys are required to be present in order to start the PrivateArk Server Service? Choose all that apply.

Options:

- A- Server Key
- B- Recovery Public Key
- C- Recovery Private Key
- D- Safe Key

Answer:

A

Question 4

Question Type: MultipleChoice

Before the hardening process, your customer identified a PSM Universal Connector executable that will be required to run on the PSM.

Which file should you update to allow this to run?

Options:

- A- PSMConfigureAppLocker.xml
- B- PSMHardening.xml
- C- PSMAppConfig.xml
- D- PSMConfigureHardening.xml

Answer:

A

Question 5

Question Type: MultipleChoice

What is a requirement for setting fault tolerance for PSMs?

Options:

- A- Use a load balancer
- B- Use a backup solution
- C- CPM must be in all data centers
- D- Install the Vault in an HA cluster

Answer:

C

Question 6

Question Type: MultipleChoice

You are setting up a Linux host to act as an HTML 5 gateway for PSM sessions.

Which servers need to be trusted by the Linux host to secure communications through the gateway?

Options:

- A- PSM and PVWA
- B- PSM and CPM
- C- PVWA and Vault
- D- Vault and PSM

Answer:

A

Question 7

Question Type: MultipleChoice

Which parameter must be identical for both the Identity Provider (IdP) and the PVWA?

Options:

- A- IdP "EntityID" and "PartnerIdentityProvider Name" in PVWA saml.config file
- B- IdP "User name" and "SingleSignOnServiceUrl" in PVWA saml.config file
- C- IdP "Audience" and "ServiceProviderName" in the PVWA saml.config file
- D- IdP "Secure hash algorithm" and "Certificate" in the PVWA saml.config file

Answer:

C

Question 8

Question Type: MultipleChoice

Which tools are used during a CPM renaming process? (Choose two.)

Options:

- A- APIKeyManager Utility Most Voted
- B- CreateCredFile Utility Most Voted
- C- CPMInDomain_Hardening.ps1
- D- PMTerminal.exe
- E- Data Execution Prevention

Answer:

A, D

Question 9

Question Type: MultipleChoice

Which step is required to register a Vault manually in Amazon Web Services using CAVaultManager?

Options:

- A- Specify Amazon as the cloud vendor using the /CloudVendor Flag
- B- After running the postinstall utility, restart the 'PrivateArk Server' service
- C- Specify the Cloud region using the /CloudRegion flag
- D- Specify whether the Vault is distributed or stand alone

Answer:

C

Question 10

Question Type: MultipleChoice

What is a prerequisite step before installing the Vault on Windows 2019?

Options:

- A- Configure the Kerberos authentication method on the default IIS Application pool
- B- Check that the server IP address is correctly configured and that it is static
- C- In the Network Connection properties, configure Preferred DNS Servers
- D- Install Microsoft Windows patch KB4014998

Answer:

B

Question 11

Question Type: MultipleChoice

In order to retrieve data from the vault a user MUST use an interface provided by CyberArk.

Options:

- A- TRUE
- B- FALSE

Answer:

A

Question 12

Question Type: MultipleChoice

Which utility should be used to register the Vault in Amazon Web Services?

Options:

- A- CAVaultManager Most Voted
- B- StorageManager
- C- CloudVaultManager
- D- CACert

Answer:

A

Question 13

Question Type: MultipleChoice

When integrating a Vault with HSM, which file is uploaded to the HSM device?

Options:

- A- server.key
- B- recpub.key
- C- recprv.key
- D- mdbase.dat

Answer:

A

P2P
exams

P2P
exams

To Get Premium Files for PAM-SEN Visit

<https://www.p2pexams.com/products/pam-sen>

For More Free Questions Visit

<https://www.p2pexams.com/cyberark/pdf/pam-sen>

20%
DISCOUNT

P2P
exams