



Free Questions for DES-1121 by vceexamstest

Shared by Glover on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What is the default size of a Gatekeeper on a PowerMax array?

Options:

A- 3 cylinder

B- 3 MB

C- 6 cylinder

D- 6 KB

Answer:

C

Question 2

Question Type: MultipleChoice

What is a minimum requirement for Dell EMC VSI 8.0 on a VMAX All Flash array?

Options:

- A- Unisphere 8.x
- B- Unisphere 9.x
- C- 5977 1125.1125
- D- 5977.1131.1131

Answer:

C

Question 3

Question Type: MultipleChoice

Where is the automatic backup feature for the Solutions Enabler Group Name Services database set?

Options:

- A- Daemon options file
- B- SYMAPI options file
- C- SYMAPI variable
- D- SYMCLI environment variable

Answer:

C

Question 4

Question Type: MultipleChoice

An administrator is using Unisphere for PowerMax Workload Planner to assess the performance and compliance of a PowerMax Storage Group (SG) How does the Planner calculate if the Storage Group workload is stable?

Options:

- A- Both calculated values are within a 10-15% threshold of the SL-defined response time

- B-** Both calculated values are within the SL-defined response time
- C-** One of the calculated values remains within the SL-defined response time
- D-** One of the calculated values is within 10-20% of the SL-defined response time

Answer:

D

Question 5

Question Type: MultipleChoice

What is the maximum number of supported cascaded Storage Group levels in PowerMax and VMAX Family arrays?

Options:

- A-** 1
- B-** 4
- C-** 16
- D-** 64

Answer:

D

Question 6

Question Type: MultipleChoice

When using TimeFinder SnapVX, what is the maximum number of linked targets allowed per source?

Options:

A- 128

B- 256

C- 512

D- 1024

Answer:

D

Question 7

Question Type: MultipleChoice

Which Open Replicator device type resides on the array running Open Replicator?

Options:

- A- Donor
- B- Local
- C- Control
- D- Remote

Answer:

C

Question 8

Question Type: MultipleChoice

How does Unisphere 360 differ from Unisphere for PowerMax?

Options:

- A-** Unisphere for PowerMax is the management console for PowerMax and VMAX Family arrays Unisphere 360 provides centralized monitoring for DMX, VMAX Family, and PowerMax arrays
- B-** Unisphere for PowerMax provides both GUI and SYMCLI access to PowerMax and VMAX arrays Unisphere 360 provides only GUI access to PowerMax and VMAX arrays.
- C-** Unisphere for PowerMax provides centralized monitoring for DMX, VMAX Family, and PowerMax arrays Unisphere 360 is the management console for PowerMax and VMAX Family arrays
- D-** Unisphere for PowerMax provides only GUI access to PowerMax and VMAX arrays. Unisphere 360 provides both GUI and SYMCLI access to PowerMax and VMAX arrays.

Answer:

C

Question 9

Question Type: MultipleChoice

An administrator is managing two PowerMax arrays that are located in two different data centers. The data centers are 550 km apart and are connected by a high bandwidth network link. The administrator wants to replicate data between the two arrays and achieve the lowest RPO

When using SRDF, which mode meets this requirement?

Options:

- A- Asynchronous
- B- Adaptive Copy
- C- Metro
- D- Synchronous

Answer:

C

Question 10

Question Type: MultipleChoice

What is the minimum required memory and minimum required disk space to manage a maximum volume count of 64000 and 10 arrays when installing Unisphere for PowerMax?

Options:

- A- 8 GB of available memory and 100 GB of available disk
- B- 12 GB of available memory and 120 GB of available disk
- C- 16 GB of available memory and 160 GB of available disk
- D- 24 GB of available memory and 180 GB of available disk

Answer:

B

To Get Premium Files for DES-1121 Visit

<https://www.p2pexams.com/products/des-1121>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/des-1121>

