



Free Questions for DES-1221 by certsinside

Shared by Fitzgerald on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What describes the process used in the Import External Storage migration architecture?

Options:

- A-** Orchestrator on PowerStore communicates over the control path to the host plugin and controls the multipathing active path to storage
- B-** Plugin on PowerStore communicates over the control path to orchestrator on the host and controls the multipathing active path to storage
- C-** Orchestrator on PowerStore communicates over the data path to the host plugin and controls the multipathing active path to storage
- D-** Plugin on PowerStore communicates over the data path to orchestrator on the host and controls the multipathing active path to storage

Answer:

D

Question 2

Question Type: MultipleChoice

An administrator assigns a protection policy to a volume group. Volume1, Volume2, Volume3 are put into the volume group. Later it is decided that Volume2 should be replicated at a different time. Volume2 is removed from the volume group. The administrator attempts to assign a new protection policy to Volume2 and the option is greyed out.

Why is the option greyed out?

Options:

- A- Already has a protection policy from the Volume-Group
- B- Requires a replication rule not a protection policy
- C- Requires a snapshot rule and a replication rule
- D- Still has associated Volume-Group snapshots

Answer:

A

Question 3

Question Type: MultipleChoice

How many cables are required for minimum support for PowerStore T Front-End storage connectivity?

Options:

A- 1

B- 2

C- 4

D- 6

PowerStore T model appliances also require at least one management switch.

The minimum cabling requirements in Table 6 must be met.

Table 6 Minimum cabling requirements for PowerStore T models

PowerStore connection	Switch connection
Node A port 0 of 4-port card embedded module	Physical Ethernet switch 1
Node A port 1 of 4-port card embedded module	Physical Ethernet switch 2
Node B port 0 of 4-port card embedded module	Physical Ethernet switch 2
Node B port 1 of 4-port card embedded module	Physical Ethernet switch 1
Node A 1 GbE management port	Management switch
Node B 1 GbE management port	Management switch

Answer:

C

Question 4

Question Type: MultipleChoice

What is the final configuration step when installing the ImportKit for a Windows host accessing VNX2 storage?

Options:

- A- Select the folder location on the host for the program installation
- B- Select the RSA key for configuring the control path HTTPS certificate
- C- Configure the network port and interface for the host data path
- D- Configure the network port and interface for the management control path

Answer:

D

Question 5

Question Type: MultipleChoice

A PowerStore X system is being implemented using Dell EMC S5248F-ON Ethernet switching as data switches.

What is required when configuring the VLT interconnects on the data switches?

Options:

- A- Assign the switch default route for the VLT traffic
- B- Set the VLT connection to the switch default VLAN
- C- On each switch, select the switch management port MAC as the VLT MAC
- D- Configure the VLT MACs with a matching unique made-up address

Answer:

D

Question 6

Question Type: MultipleChoice

A storage administrator has provisioned a 50GB volume and presented it to an application. The application owner has requested that the volume be replicated to a secondary array. Which policy should be assigned to the volume to enable replication?

Options:

A- Protection

B- Performance

C- Remote

D- Replication

Answer:

A

Question 7

Question Type: MultipleChoice

An administrator is trying to set a performance policy while creating a Thin Clone of a volume group. Why is the option to set performance policy unavailable?

Options:

- A- Volumes in the volume group are not mapped to any hosts
- B- No Volumes are added in the volume group
- C- Thin Clones cannot be created using a volume group
- D- Performance policy can only be set on a Thin Clone volume

Answer:

D

Question 8

Question Type: MultipleChoice

An administrator receives an alert on a PowerStore Cluster with three appliances:

The appliance A1 is projected to run out of space in 8 days Capacity utilization is above 90 percent

Which tools are available to assist the Administrator with a potential resolution?

Options:

- A- Thin provision conversion wizard
- B- System Optimization
- C- Space reclamation wizard
- D- Assisted Migration

Answer:

D

Question 9

Question Type: MultipleChoice

When a Volume is selected for the intercluster migration, what other data services associated with the volume will also be moved with it?

Options:

- A- Thin Clones and snapshots
- B- Thin Clones and File systems
- C- Replications and Volume Groups

D- NAS Servers and File.systems

Answer:

A

Question 10

Question Type: MultipleChoice

What is the logical block size when creating and formatting volumes on PowerStore for Windows hosts?

Options:

A- 512 bytes

B- 520 bytes

C- 4096 bytes

D- 64 kilobytes

Answer:

A

Question 11

Question Type: MultipleChoice

What does the data import session Pause operation do?

Options:

- A-** Deactivates the host to PowerStore control path
- B-** Stops the source to PowerStore background copy operation
- C-** Stops the source to PowerStore cutover operation
- D-** Deactivates the host to PowerStore data path

Answer:

B

Explanation:

guid=guid-a19dfc3-8def-4a50-a4ed-14650500f567&lang=en-us

To Get Premium Files for DES-1221 Visit

<https://www.p2pexams.com/products/des-1221>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/des-1221>

