



Free Questions for DES-4421 by vceexamstest

Shared by Ramirez on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What item is used to refer to a daisy-chained configuration of a multiple MX7000 chassis environment?

Options:

- A- Wired group
- B- Identity group
- C- Chassis group
- D- Physical group

Answer:

A

Question 2

Question Type: MultipleChoice

What is a benefit of using scalable fabric architecture in the MX7000?

Options:

- A- Management of all servers and fabrics is done from the last chassis in the fabric
- B- Management of all fabrics is done from the third fabric in the chassis
- C- Management of all servers and fabrics is done from the lead chassis
- D- Management of all fabrics is done from the last chassis in the fabric

Answer:

C

Question 3

Question Type: MultipleChoice

Which command(s) is supported in the current PowerEdge MX Redfish implementation?

Options:

A- PUT and DELETE

B- PUT only

C- HEAD and PUT

D- GET and DELETE

Answer:

D

Question 4

Question Type: MultipleChoice

What is the maximum possible weight of a fully populated MX7000 chassis?

Options:

A- 250 lbs (114 kg)

B- 300 lbs (136 kg)

C- 400 lbs (182 kg)

D- 500 lbs (227 kg)


Answer:

C

Question 5

Question Type: MultipleChoice

Refer to the exhibit.



What is shown?

Options:

- A- MX5000s
- B- MX5108n
- C- MX5016s
- D- MXG610s

Answer:

C

Question 6

Question Type: MultipleChoice

Which feature requires an iDRAC Enterprise license for an MX sled?

Options:

- A- iDRAC Service Module
- B- Last Crash Screen
- C- Group Manager
- D- Storage Management

Answer:

C

Question 7

Question Type: MultipleChoice

An administrator is connecting two MX840c to an MX5016s. The MX5016s is configured in Enclosure Assigned mode.

What should the requirements of this mode be to avoid configuration issues?

Options:

- A- MX745P with a cluster aware OS

- B-** MX745P with no OS restrictions
- C-** HBA330MMZ with no OS restrictions
- D-** HBA330MMZ with a cluster aware OS

Answer:

A

Question 8

Question Type: MultipleChoice

Where in the OME-M Web interface can the Chassis Deployment Wizard be found?

Options:

- A-** Hardware > Initial Configuration
- B-** Configuration > Deploy > Chassis Deployment Wizard
- C-** Home > Settings > Chassis Deployment Wizard
- D-** Home > Configure > Initial Configuration

Answer:

D

Question 9

Question Type: MultipleChoice

Where is a valid storage location for extracting the full MX7000 chassis logs package?

Options:

A- VMFS

B- FTP

C- CIFS

D- CSV

Answer:

C

Question 10

Question Type: MultipleChoice

An administrator is asked to install and power-on a new MX740c sled in an MX7000 chassis. The administrator inserts the sled and presses the power button. They notice that the power button LED is blinking green. After a short time power button turns to solid green and the server finally turns on.

What operation was in progress when the power button was blinking green?

Options:

- A- iDRAC was booting
- B- Lifecycle Controller update was in progress
- C- Lifecycle Controller was taking firmware inventory
- D- iDRAC was updating firmware

Answer:

A

Question 11

Question Type: MultipleChoice

What automatically opens a support case with technical support and collects the PowerEdge MX system state information that is required for troubleshooting an issue, then sends it securely to Dell EMC?

Options:

- A- OpenManage Essentials
- B- SupportAssist Collections
- C- OpenManage Enterprise
- D- SupportAssist Enterprise

Answer:

D

Question 12

Question Type: MultipleChoice

Refer to the exhibit.



How many internal server-facing ports are available on this I/O module for the MX7000 chassis?

Options:

- A- 2
- B- 8
- C- 16
- D- 24

Answer:

C

To Get Premium Files for DES-4421 Visit

<https://www.p2pexams.com/products/des-4421>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/des-4421>

