



Free Questions for [E20-375](#) by [certsinside](#)

Shared by [Powell](#) on [06-06-2022](#)


For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Refer to the exhibit.



A storage administrator wants to protect their distributed VPLEX volumes using RecoverPoint and the VPLEX splitter. The admin asks if there are special considerations they must be aware of.

What should you tell the admin?

Options:

- A- The VPLEX Consistency Group that is protected by RecoverPoint must have its site preference set to Site B.
- B- RecoverPoint does not support replication of distributed VPLEX devices.
- C- Only VPLEX devices at Site B can be replicated using RecoverPoint.
- D- All VPLEX devices at both sites can be protected using RecoverPoint, regardless of whether they are local or distributed.

Answer:

A

Question 2

Question Type: MultipleChoice

Refer to the exhibit.

```
.....  
Validate the VPLEX to RPA zoning  
.....  
Validating that VPLEX sees all expected initiator ports from RPAs          WARNING  
VPLEX does not see RPA initiator port: 0x50012481e510aa17  
VPLEX does not see RPA initiator port: 0x50012483e510aa17  
VPLEX does not see RPA initiator port: 0x50012481e41d6b93  
VPLEX does not see RPA initiator port: 0x50012483e41d6b93
```

A RecoverPoint cluster with two RPAs and VPLEX splitter has been deployed. When you run the `rp validate-configuration VPLEX CLI` command, the error shown in the exhibit is displayed.

What is the most likely cause of this error?

Options:

- A- Only two initiators per RPA have been used.
- B- The RPAs are not zoned to the VPLEX BE ports.
- C- One of the two RPAs is missing.
- D- The RPAs are not zoned to the VPLEX FE ports.


Answer:

A

Question 3

Question Type: MultipleChoice

Refer to the exhibit.



In Unisphere for RecoverPoint, the status tab diagram of a particular Consistency Group shows two copies linked by a dashed green line on top of a solid green line. What type of link is this?

Options:

- A- Synchronous
- B- Asynchronous

C- Fibre Channel

D- iSCSI


Answer:

A

Question 4

Question Type: MultipleChoice

Refer to the exhibit.



A customer is implementing a RecoverPoint solution with a two-node cluster. What is represented by the 'A' in the exhibit?

Options:

- A- WAN
- B- LAN
- C- iSCSI
- D- Floating IP

Answer:

A

Question 5

Question Type: MultipleChoice

Which write splitter type allows host connectivity to production LUNs with either iSCSI or FC?

Options:

- A- VNX
- B- VPLEX
- C- VMAX

D- SanTap

Answer:

D

Question 6

Question Type: MultipleChoice

A administrator wants to add a new RecoverPoint UserID. Which role must their UserID belong to in order to manage user settings?

Options:

A- security

B- admin

C- boxmgmt

D- monitor

Answer:

D

Question 7

Question Type: MultipleChoice

During a failover event, you have determined that the last bookmark had corrupted data. What is the fastest way to find the last good replica?

Options:

- A- Fail back to the primary and create a new replica
- B- Complete the failover and restore the data from the local backup
- C- Create a new bookmark and use the Test a Copy wizard
- D- Move to the previous point in time

Answer:

A

Question 8

Question Type: MultipleChoice

A company believes their WAN IP network has performance problems. Which IP diagnostic tool can be used to confirm this issue?

Options:

- A- Test Throughput
- B- Port diagnostics
- C- Full mesh network test
- D- View Routing Table

Answer:

C

Question 9

Question Type: MultipleChoice

You are concerned about the performance of the RecoverPoint replication. Some of the Consistency Groups continue to go into High Load. Initial troubleshooting points to a data compression issue.

Which command will determine if compression is set too high?

Options:

A- detect_bottlenecks

B- get_events_log

C- top

D- config_io_throttling

Answer:

A

Question 10

Question Type: MultipleChoice

Which IP diagnostic command is used to test the IP connectivity performance between RPAs when the 'Test Throughput' option is chosen in the RPA interface?

Options:

- A- iperf
- B- top
- C- ethtool
- D- netstat

Answer:

A

Question 11

Question Type: MultipleChoice

After running a log collection, which user should you log in as to download the output file?

Options:

- A- admin
- B- monitor
- C- boxmgmt
- D- security-admin

Answer:

A

To Get Premium Files for E20-375 Visit

<https://www.p2pexams.com/products/e20-375>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/e20-375>

