



Free Questions for E20-375 by dumpshq

Shared by Conrad on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which tool is used to enable a VNX splitter?

Options:

- A- Unisphere Service Manager
- B- Unisphere for RecoverPoint
- C- Deployment Manager
- D- NaviSecCLI

Answer:

A

Question 2

Question Type: MultipleChoice

What is the maximum number of VMAX splitters that can be added to a RecoverPoint cluster?

Options:

A- 2

B- 4

C- 5

D- 6

Answer:

B

Question 3

Question Type: MultipleChoice

A VPLEX write splitter can be shared with how many RecoverPoint clusters?

Options:

A- 5

B- 6

C- 8

D- 10

Answer:

B

Question 4

Question Type: MultipleChoice

What would cause a volume sweep to occur?

Options:

A- A new Replication Set is added to an enabled Consistency Group

- B- A previously disabled splitter is enabled
- C- A Replication Set is removed from a disabled Consistency Group
- D- A previously enabled splitter is disabled

Answer:

A

Question 5

Question Type: MultipleChoice

When registering the RPA with a VNX to enable a VNX splitter for RecoverPoint, what failover mode must be set on the VNX?

Options:

- A- 1
- B- 2
- C- 3
- D- 4

Answer:

D

Question 6

Question Type: MultipleChoice

What action causes the loss of journal content?

Options:

- A- The replica is accessed in Direct Access mode
- B- Enabling Image Access mode
- C- A journal is added to a Consistency Group
- D- An RPA performed marking

Answer:

A

Question 7

Question Type: MultipleChoice

What are two requirements for an EMC RPA to connect to an EMC VNX via a SAN?

Options:

- A-** Each VNX SP needs to be connected to both fabrics At least two initiators per RPA need to be zoned to each SP
- B-** Each VNX SP needs to be connected to both fabrics RPA HBA1 needs to be zoned to SPA and RPA HBA2 needs to be zoned to SPB
- C-** Each VNX SP needs to be connected on a separate fabric At least two initiators per RPA need to be zoned to each SP
- D-** Each VNX SP needs to be connected on a separate fabric RPA HBA1 needs to be zoned to SPA and RPA HBA2 needs to be zoned to SPB

Answer:

A

Question 8

Question Type: MultipleChoice

Which type of Consistency Group requires a primary and secondary production copy?

Options:

- A- MetroPoint
- B- Synchronous
- C- Distributed
- D- Asynchronous

Answer:

A

Question 9

Question Type: MultipleChoice

You have been tasked with installing licenses for your RecoverPoint/CL System. It consists of a single cluster with one VMAX and three VNX arrays.

How many license files would you need to install for proper cluster operation?

Options:

A- 1

B- 2

C- 3

D- 4

Answer:

A

Question 10

Question Type: MultipleChoice

Once a device is in an Open Replicator RecoverPoint session, what must be done in order to make configuration changes to that device?

Options:

- A- Disable the Configuration Group
- B- Pause the Configuration Group
- C- Unmap the device
- D- Unmask the device

Answer:

A

Question 11

Question Type: MultipleChoice

When RecoverPoint is deployed with a VMAX splitter, what presents the virtual target and virtual remote devices?

Options:

- A- RPAs
- B- VMAX
- C- Switch

D- Gatekeepers

Answer:

A

Question 12

Question Type: MultipleChoice

Which Open Replicator mode is used by the RecoverPoint VMAX write splitter?

Options:

A- Modified Hot Push

B- Cold Push

C- Hot Pull

D- Cold Pull

Answer:

A

To Get Premium Files for E20-375 Visit

<https://www.p2pexams.com/products/e20-375>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/e20-375>

