



Download CIW 1D0-735 Exam Dumps Free

Shared by Mays on 17-06-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

Consider the following code:

```
<!DOCTYPE html>
<html>
<head>
<title>Join our Mailing List</title>
<meta charset="utf-8" />
</head>
<body>
<script type="text/javascript">
function processForm(){ alert("Form Submitted"); }
</script>
<form name="myForm">
First Name: <input type="text" name="firstName" />
Email: <input type="text" name="email" />
<input type="submit" value="Submit" />
</form>
</body>
</html>
```

The processform() function is not executed when the submit button is pressed. What change should be made to correct this?

Options:

- A- The onsubmit event handler should be added to the <input type=" submit"> tag.
- B- Predefined libraries provide thoroughly tested code that reduces the amount of time it takes to enter and debug code .
- C- The onfocus event handler should be added to the <form> tag.
- D- The onfocus event handler should be added to the <input type" submit"> tag

Answer:

A

Question 2

Question Type: MultipleChoice

Considering the following code:

Var 1 ;

For (i = 1; i < 10; i ++)

What part of the code fragment initializes the counter variable?

Options:

- A- i ++
- B- i < 10;
- C- i = 1;
- D- Var i;

Answer:

C



Question 3

Question Type: MultipleChoice

Zamar wants to add buttons to his Web page to allow users to navigate forward and backward through his Web site similar to the Forward and Back buttons in the Web browser window. Which JavaScript object will he use?

Options:

- A- window
- B- screen
- C- history
- D- navigator

Answer:

A



Question 4

Question Type: MultipleChoice

Consider the following code:

```
1 <script type="text/javascript">
2 function changeOption(){
3     alert(document.myForm.mySelectBox.value);
4 }
5 </script>
6 <form name="myForm">
7 <select name="mySelectBox">
8 <option>First Option</option>
9 <option>Second Option</option>
10 <option>Third Option</option>
11 </select>
12 <input type="submit" value="Submit" />
13 </form>
```

Charies wants to write code to execute the changeOption function after the user chooses an option in the select menu. What change to the code should he make?

Options:

- A- Change line 7 <select name="mySelectBox " onchange=changeOption () ">
- B- Change line 2 to function changeOption (onchange){
- C- He should write a script to compare the information the user entered with the information on the Internet that is publicly available about the user
- D- Change line 6 to <input type="submit" onchange="changeOption () " />

Answer:

A

Question 5

Question Type: MultipleChoice

Geraldine is creating a custom object to store user account data on her Web site. She has written the following code it is not working properly. What change should she make to enable the script to run correctly?

```
function userObj() {  
    this.username = username;  
    this.password = password;  
    this.email = email;  
}
```

Options:

- A- She must remove the this keyword from the left side of the assignment variables
- B- She must add the parameters username, password and email to the function definition
- C- She must change the this keyword to the object keyword on the left side of the assignment variables
- D- She must change the function keyword to the object keyword in the function definition

Answer:

A

Question 6

Question Type: MultipleChoice

Consider the following two code segments:

```
Segment 1  
var i = 5;  
do {  
    // other code here  
} while(i < 5);  
  
Segment 2  
var i = 5;  
while(i < 5) {  
    // other code here  
}
```

Which option best is true about these code segments?

Options:

- A- The code in both segments will cause an infinite loop
- B- The code in Segment 2 will execute one time
- C- The code in both segments will not execute at all
- D- The code in Segment 1 will execute one time

Answer:

D

Question 7

Question Type: MultipleChoice

How does AJAX use the XMLHttpRequest object?"

```
<script type="text/javascript">
var score = 697;
if(score >= 750) { alert("Excellent"); }
if(score >= 700) { alert("Good"); }
if(score >= 650) { alert("Fair"); }
if(score >= 550) { alert("Poor"); }
else { alert("Bad"); }
</script>
```

Options:

- A- It changes a portion of a Web page so only the affected part of the page will be reloaded
- B- It provides Web page compatibility with mobile device browsers
- C- It performs code validation on the server-side in order to speed up the process of validation
- D- It provides backward-compatibility with older browser versions

Answer:

B

Question 8

Question Type: MultipleChoice

Which code could be used to send a user to another Web site when they click a button on the Web page?

A)

```
<form>
<input type="button" value="Visit CIW"
onclick="document.href(https://www.CIWcertified.com);" />
</form>
```

B)

```
<form>
<input type="button" value="Visit CIW"
onclick="document.href('https://www.CIWcertified.com');" />
</form>
```

C)

```
<form>
<input type="button" value="Visit CIW"
onclick="location.href = https://www.CIWcertified.com;" />
</form>
```

D)

```
<form>
<input type="button" value="Visit CIW"
onclick="location.href = 'https://www.CIWcertified.com';" />
</form>
```

Options:

- A- Option A
- B- Option B
- C- Option C
- D- Option D

Answer:

D

Question 9

Question Type: MultipleChoice

Which option best comparison statements will return true?

Options:

A- $X = 15$;

$Y = 3$;

$X == y$;

B- $X=15$

$Y=3$;

$X +==45$;

C- $X = 15$

$Y = 3$;

$X ! == y$;

D- $X = 15$

$Y = 3$

$X === y$;



Answer:

C



To Get Premium Files for 1D0-735 Visit

<https://www.p2pexams.com/products/1d0-735>

For More Free Questions Visit

<https://www.p2pexams.com/ciw/pdf/1d0-735>

20%
DISCOUNT

P2P
exams