



Download Hitachi Vantara HQT-4180 Exam Dumps Free

Shared by Nunez on 17-06-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

Which two actions can be performed with Hitachi Ops Center Administrator? (Choose two.)

Options:

- A- Perform Self-Service Maintenance.
- B- Manage virtual storage machines.
- C- Manage multiple VSP Midrange storage systems.
- D- Configure the Hitachi Remote Ops Monitor Agent.

Answer:

A, D

Question 2

Question Type: MultipleChoice

You need to replace a broken disk drive on a VSP G700.

What are two prerequisites? (Choose two.)

Options:

- A- You must use the Replace button in the Maintenance Utility before removing the drive.
- B- You must wear a wrist strap for ESD protection.
- C- The red LED on the drive must be lit.
- D- The Drive Box where the drive is located must be powered down.

Answer:

A, B

Question 3

Question Type: MultipleChoice

What are two functions of the LAN Blade in the VSP Midrange family? (Choose two.)

Options:

- A- It provides the LAN connection to the file module.
- B- It provides the maintenance port connecting to the MPC.
- C- It provides the iSCSI connection to the servers.
- D- It provides the management port connecting to the customer LAN.

Answer:

A, D

Question 4

Question Type: MultipleChoice

A customer wants to change a production RAID Group from RAID 5 (7D+1P) to RAID 6 (6D + 2P) on a VSP G700 during normal operations. They have just unmapped the LUNs from the channel ports.

What needs to be performed next?

Options:

- A- The RAID level must be changed in Storage Navigator.
- B- The RAID level must be changed in the SVP Maintenance window.
- C- The RAID 5 Group must be put into DRU mode in Storage Navigator.
- D- The RAID Group must be deleted.

Answer:

B

Question 5

Question Type: MultipleChoice

Which two tools are available to configure NTP server settings on a VSP E590 system? (Choose two.)

Options:

- A- Storage Navigator
- B- Maintenance Utility
- C- Initial Setup Wizard
- D- HSA Embedded

Answer:

B, C

Question 6

Question Type: MultipleChoice

You need to upgrade the firmware on a VSP G700.

Which file must you select to perform the upgrade using the Maintenance Utility?

Options:

- A- All Firmware.mda
- B- HA-MPC-xx.iso
- C- HA-SVP-xx.iso
- D- setup.exe

Answer:

C

Question 7

Question Type: MultipleChoice

What are two valid back-end SAS cable connections on a VSP midrange system? (Choose two.)

Options:

- A- from DKA to DKB
- B- from ENC to ENC
- C- from DKB to ENC

D- from DKA to SSW

Answer:

A, C



To Get Premium Files for HQT-4180 Visit

<https://www.p2pexams.com/products/hqt-4180>

For More Free Questions Visit

<https://www.p2pexams.com/hitachi-vantara/pdf/hqt-4180>

20%
DISCOUNT

P2P
exams