



Download NetApp NS0-194 Exam Dumps Free

Shared by Fuentes on 17-06-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

Which type of MetroCluster is shown in the exhibit?

Options:

- A- 2-node stretch MetroCluster
- B- 4-node MetroCluster IP
- C- 4-node Fabric-Attached MetroCluster
- D- 4-node stretch MetroCluster



Answer:

C

Question 2

Question Type: MultipleChoice

You are using AFF storage with the NVMe storage protocol on your Linux clients.

In this scenario, which NVMe feature must be present and enabled for the client to see storage failover happen?

Options:

- A- Asymmetric Namespace Access (ANA)
- B- Multi-Path I/O (MPIO)
- C- Asymmetric Logical Unit Access (ALUA)
- D- NVMe Qualified Name (NQN)



Answer:

B

Question 3

Question Type: MultipleChoice

You observe cyclic redundancy check (CRC) errors on a network port from a node in the cluster.

Which two components would you consider reseating or replacing before you perform actions on the physical port where the errors are reported from the node? (Choose two.)

Options:

- A- SFP
- B- cluster interconnect switch
- C- up-stream switch
- D- cable



Answer:

C, D

Question 4

Question Type: MultipleChoice

While troubleshooting client access issues to a CIFS share, you notice that the issue only occurs when the data LIF that the clients are accessing is on a specific node in the cluster.

In this scenario, which configuration should you review to determine why this issue is happening?

Options:

- A- cluster health
- B- Kerberos
- C- share path
- D- export policies



Answer:

B

Question 5

Question Type: MultipleChoice

What are two reasons to use VLANs in a NetApp storage solution? (Choose two.)

Options:

- A- to isolate UDP traffic from TCP traffic
- B- to isolate management traffic from other IP traffic
- C- to isolate iSCSI traffic from NAS traffic
- D- to isolate FC traffic from other IP traffic

Answer:

A, C



Question 6

Question Type: MultipleChoice

What are two supported cabling methods for a NetApp HCI compute node? (Choose two.)

Options:

- A- 1-cable configuration
- B- 2-cable configuration
- C- 6-cable configuration
- D- 4-cable configuration

Answer:

B, C



Question 7

Question Type: MultipleChoice

When you replace a motherboard, which step will completely test the newly installed component?

Options:

- A- From ONTAP, execute sldiag.
- B- From the LOADER prompt, type boot_ontap maint, then execute sldiag.
- C- From the LOADER prompt, type boot_diags, then execute sldiag.
- D- From the LOADER prompt, execute sldiag.

Answer:

B

Question 8

Question Type: MultipleChoice

Several clients are accessing an ONTAP SnapMirror DP destination volume. Some clients frequently access the newest SnapMirror volume data

a. Accessing this data is much slower when compared to clients that directly access data on the source. You use the waf1 scan status command against the destination.

What is a symptom of the problem in this scenario?

Options:

- A- blocks used summary update
- B- active bitmap rearrangement
- C- container block reclamation
- D- volume deswizzling

Answer:

A

Question 9

Question Type: MultipleChoice

Which NetApp technology enables you to perform block-based replication from NetApp Element software to Cloud Volumes ONTAP?

Options:

- A- SyncMirror
- B- SnapMirror
- C- Cloud Sync
- D- MetroCluster

Answer:

B



To Get Premium Files for NS0-194 Visit

<https://www.p2pexams.com/products/ns0-194>

For More Free Questions Visit

<https://www.p2pexams.com/netapp/pdf/ns0-194>

20%
DISCOUNT

P2P
exams