



Download Talend-Core-Developer Exam Dumps Free

Shared by Abbott on 17-06-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

You are using a tRESTClient component to call a REST service. Which advanced option should you use to convert the response from the server to the document type?

Options:

- A- Convert Response To XML Document
- B- Convert Response To JSON Document
- C- Convert Response To DOM Document
- D- Convert Response To HTML Document

Answer:

C

Explanation:

Comprehensive and Detailed Explanation:

In Talend Studio, the tRESTClient component includes an advanced setting called 'Convert Response To DOM Document'. When this option is selected, the response from the REST service is converted into a DOM (Document Object Model) document. This allows for structured processing of the response data within Talend workflows.

Question 2

Question Type: MultipleChoice

In some instances, after applying changes to a component schema, you are asked if you would like to propagate the changes. What is the significance of this prompt?

Options:

- A- Confirm that you want to apply the schema changes to the previous component in the Job.
- B- Confirm that you want to apply the schema changes to both the previous and next components in the Job.

- C- Confirm that you want to apply the schema changes to the next component in the Job.
- D- Confirm that you want to apply the schema changes to the selected component.

Answer:

C

Explanation:

When you modify the schema of a component in Talend Studio, the application prompts you to propagate these changes. This propagation ensures that any alterations to the data structure are consistently applied throughout the Job, maintaining data integrity and coherence.

Understanding Schema Propagation:

Purpose: Schema propagation is essential to synchronize the data structure across connected components. When a schema changes (e.g., adding or removing a column), downstream components that rely on this schema need to be updated to reflect these changes.

Prompt Significance: The prompt serves as a confirmation to apply the schema changes to the subsequent components in the Job. By agreeing to propagate, Talend Studio automatically updates the schemas of all downstream components connected to the modified component.

Example Scenario:

Consider a Job where a tFileInputDelimited component reads data and passes it to a tMap component, which then outputs to a tFileOutputDelimited component. If you add a new column to the schema of tFileInputDelimited:

Modification:

You add a new column, 'emailAddress', to the tFileInputDelimited schema.

Propagation Prompt:

Upon making this change, Talend Studio prompts you to propagate the schema changes.

Effect of Propagation:

By confirming, the 'emailAddress' column is added to the schemas of all downstream components (e.g., tMap and tFileOutputDelimited). This ensures that these components recognize and can process the new column appropriately.

By understanding and utilizing schema propagation, you ensure that all components within your Talend Jobs remain synchronized, reducing errors and enhancing data processing efficiency.

Question 3

Question Type: MultipleChoice

You want to create a generic schema using a schema defined in a Talend component in the Repository view. How can you accomplish this?

Options:

- A- By right-clicking the component and selecting the Generic schema option.
- B- On the Advanced settings tab of the Component view.
- C- In the Repository, by right-clicking Generic schemas.
- D- In the Schema Editor window for the component.

Answer:

C

Explanation:

To create a generic schema from a schema defined in a Talend component, follow these steps:

Open the Repository View:

In Talend Studio, navigate to the Repository panel, typically located on the left side of the interface.

Locate the 'Generic schemas' Node:

Within the Repository, expand the 'Metadata' section to find the 'Generic schemas' node.

Initiate the Generic Schema Creation Process:

Right-click on 'Generic schemas' and select 'Create generic schema' from the context menu.

Define the Schema Properties:

In the schema creation wizard that appears, provide the necessary properties such as 'Name' and 'Description' for the new generic schema.

Set Up the Schema Structure:

Define the schema structure by adding columns and specifying their data types as required.

Finalize the Schema Creation:

Click 'Finish' to complete the creation process. The new generic schema will now be available

under the 'Generic schemas' node in the Repository.

This method allows you to create a reusable generic schema that can be applied across multiple components and Jobs within Talend Studio.

Question 4

Question Type: MultipleChoice

Which statements are true about the execution logs of a task running on a Remote Engine?
Select 2 answers.

Options:

- A- Logs are stored in the file system of the server where the Remote Engine is running.
- B- Logs are stored in an H2 database hosted on the server where the Remote Engine is running.
- C- Logs can be downloaded from Talend Management Console.
- D- Logs are stored in Parquet format on the server where the Remote Engine is running.

Answer:

A, C

Explanation:

Comprehensive and Detailed Explanation:

When a task executes on a Talend Remote Engine, the execution logs are handled as follows:

Logs are stored in the file system of the server where the Remote Engine is running (Option A):

The Remote Engine writes execution logs to its local file system, typically in plain text or log formats. These logs provide detailed information about the task's execution and are essential for troubleshooting and monitoring.

Logs can be downloaded from Talend Management Console (Option C):

Talend Management Console (TMC) aggregates execution logs from Remote Engines, allowing users to access and download them directly through the TMC interface. This centralized access simplifies monitoring and debugging across multiple environments.

Why not other options?

Option B: While some components of Talend may use H2 databases for internal purposes, execution logs are not typically stored in an H2 database on the Remote Engine server.

Option D: Execution logs are generally stored in plain text or standard log formats, not in Parquet format. Parquet is a columnar storage file format commonly used for efficient data processing, not for logging purposes.

Question 5

Question Type: MultipleChoice

In Talend Studio, you have access to a referenced project named project_ref. You need to reuse a Job named testJob from the project_ref in your main Job.

Options:

- A- Right-click Job Designs and click import items.
- B- Navigate to Metadata, @ project ref, Job Designs, Standard, then select testJob.
- C- Right-click Job Designs, click Create Standard Job, and enter testJob as the Job name.
- D- Navigate to @ Referenced project, @ project_ref, Job Designs, Standard, then select testJob.

Answer:

D

Explanation:

To reuse a job named testJob from a referenced project named project_ref in your main job, you need to navigate to @Referenced project, @project_ref, Job Designs, Standard, then select testJob. A referenced project is a project that can be accessed from another project in read-only mode. You can add a referenced project to your main project by using the Project Settings window in Talend Studio. You can then browse the items (such as jobs, metadata, routines, etc.) of the referenced project in the Repository tree view under the @Referenced project node. You can drag and drop any item from the referenced project to your main job design workspace.

You do not need to use import items, create standard job, or navigate to Metadata options. These options are not used to reuse jobs from referenced projects. The import items option is used to import items (such as jobs, metadata, routines, etc.) from an archive file that can be exported from another project or workspace. The create standard job option is used to create a new job with a name and a description. The Metadata node in the Repository tree view is used to store and manage metadata definitions for various data sources (such as databases, files, web

services, etc.). Reference: Talend Open Studio: Open-source ETL and Free Data Integration | Talend, [Referenced projects - 7.3]

Question 6

Question Type: MultipleChoice

Which Action on table operations are supported by a tMySQLOutput component? Choose 3 answers.

Options:

- A- Drop table
- B- Drop table if exists and create
- C- Replace
- D- Create table if does not exist
- E- Create table

Answer:

B, D, E

Explanation:

Comprehensive and Detailed Explanation:

The tMySQLOutput component in Talend provides several actions on tables to manage data output operations effectively. The supported actions include:

Drop Table if Exists and Create (Option B):

This action checks if the specified table exists in the database. If it does, the table is dropped and a new one is created. This ensures that the table is recreated fresh for the data load.

Create Table if Does Not Exist (Option D):

This action checks if the specified table exists in the database. If it does not exist, the table is created. If it already exists, no action is taken, and the existing table is used.

Create Table (Option E):

This action attempts to create the specified table in the database. If the table already exists, an error will occur unless handled appropriately.

These actions provide flexibility in managing database tables during data integration processes, allowing for dynamic table creation and management based on the Job's requirements.

Question 7

Question Type: MultipleChoice

You need a list of all customers whose first name contains "Tom" and who are older than 18. Which processor should be used?

Options:

- A- Join
- B- Aggregate
- C- Filter
- D- Data sampling

Answer:

C

Explanation:

Comprehensive and Detailed Explanation:

To filter customer records based on first name containing 'Tom' and age greater than 18, the Filter processor is the correct choice.

Filter (Option C) -- Correct Answer:

The Filter processor allows users to set conditional rules to extract only the required data.

Users can specify conditions such as:

first_name CONTAINS 'Tom'

AND

age > 18

This ensures that only relevant records are included in the output.

Why not other options?

Option A (Join): Used to combine data from multiple datasets based on a key field, not for filtering.

Option B (Aggregate): Used for summarizing data, such as calculating counts, sums, or averages.

Option D (Data Sampling): Used to select a random subset of data, not for filtering based on conditions.

Question 8

Question Type: MultipleChoice

Which options can you use to add a Joblet to your talend Job?

Select 3 answers

Options:

- A- Use a tRunJob component and select the Joblet from the drop-down menu.
- B- Type the Joblet name on the Studio canvas, then select it from the Palette drop-down menu.
- C- Right-click the Joblet from Palette and select the Add option.
- D- Drag the Joblet from the Repository tree view to designer canvas.
- E- Drag the Joblet from Palette to the design workspace.

Answer:

B, D, E

Explanation:

To add a Joblet to your Talend Job, you can use one of these options:

Type the Joblet name on the Studio canvas, then select it from the Palette drop-down menu. This will create a Joblet container on your canvas that contains all the components and links of your Joblet.

Drag the Joblet from Repository tree view to designer canvas. This will also create a Joblet container on your canvas that contains all components and links of your Joblet.

Drag Joblet from Palette to design workspace. This will open a dialog box where you can select an existing Joblet from Repository or create a new one.

You cannot use a tRunJob component and select Joblet from drop-down menu, nor right-click

Joblet from Palette and select Add option. These methods are not available in Talend Studio and may cause errors or unexpected results. Reference: Talend Open Studio: Open-source ETL and Free Data Integration | Talend, [Joblets - 7.3]

Question 9

Question Type: MultipleChoice

Which operations can you perform using a tMap component? Select 3 answers.

Options:

- A- Map data using filters, constraints, and simple explicit joins.
- B- Perform full outer joins.
- C- Transform data from single or multiple sources to single or multiple destinations.
- D- Load single lookup tables only.
- E- Reject data using inner join rejections.

Answer:

A, B, C

Explanation:

Comprehensive and Detailed Explanation:

The tMap component in Talend allows for various data transformation and mapping operations. The correct operations include:

A . Map data using filters, constraints, and simple explicit joins.

tMap allows mapping fields between sources and destinations with filters and constraints.

B . Perform full outer joins.

Unlike tJoin, tMap supports full outer joins, allowing all records from both tables to be included.

C . Transform data from single or multiple sources to single or multiple destinations.

You can map multiple input sources to multiple output targets with transformations.

To Get Premium Files for Talend-Core-Developer Visit

<https://www.p2pexams.com/products/talend-core-developer>

For More Free Questions Visit

<https://www.p2pexams.com/talend/pdf/talend-core-developer>

20%
DISCOUNT

P2P
exams