Free Questions for 050-733 by dumpshq

Shared by Noble on 20-10-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

In which file is the name resolution configured?

Options:

A- /etc/sysconfig/network/dns

B- /etc/nameservers

C- /etc/dns.con

D- /etc/resolv.conf

E- /etc/HOSTNAME

Answer:

D

Question 2

What is the result of the following command?

dd if=/dev/zero of=/dev/hdd bs=512 count=1

A- Writes zeros in the first 512 bytes of the first hard disk block

B- Assigns the physical volume zero to the logical volume hdd

C- Overwrites an existing partition table

D- Creates a LVM partition of 512 blocks

E- Backs up the /dev/zero and /dev/hdd files

Answer:

A, C

Question 3

Question Type: **MultipleChoice**

How is the GNOME file manager called?

A- Nautilus

B- Konqueror

C- GNOME Explorer

D- FileMan

E- Dolphin

Answer:

A

Question 4

Question Type: **MultipleChoice**

What is the purpose of the ssh-agent command?

Options:

A- ssh-agent is a program that checks for machines in the network that have an ssh daemon running.

B- ssh-agent is used to fetch public keys from machines within your network.

C- ssh-agent is used to avoid typing the passphrase for your key on each login.

D- ssh-agent is a program that helps configure the ssh daemon.

Answer:

C

Question 5

Question Type: **MultipleChoice**

Which modes does the vi editor run in? (Choose two.)

Options:

A- Command mode

B- Working mode

C- Switch mode

D- Insert mode

E- Allocation mode

Question 6

Question Type: MultipleChoice

Where would you normally find user data?

Options:

A- /data

B- /usr

C- /home

D- /opt

C

Question 7

Question Type: MultipleChoice

You would like to run command1 and then command2, whether or not command1 completed successfully.

Which command accomplishes this task?

Options:

A- command1 & command2

B- command1 > command2

C- command1 | command2

D- command1 ; command2

Answer:

D

Question 8

Which command verifies the signature of an RPM package?

Options:

A- rpm --verify package

B- rpm --check package

C- rpm package

D- rpm --checksig package

E- verify -rpm package

Answer:

D

Question 9

What is the type command used for?

Options:

A- type determines the type of a command (shell builtin, alias, file on hard disk).

B- type is used to determine the type of processor used (32-bit, 64-bit, Power)

C- type displays the type of terminal (tty1, tty2) you are logged in to.

D- type is used to print text to a teletypewriter.

Answer:

A

Question 10

Question Type: **MultipleChoice**

Which statement is not true about symbolic links?

Options:

A- Symbolic links can point to files on a different file system.

B- Symbolic links can be created for directories.

C- Symbolic links always have the same size as the original file.

Answer:

C

Question 11

Question Type: **MultipleChoice**

Which group name or group ID is stored in /etc/passwd?

Options:

A- Primary group.

B- Secondary group.

C- Effective group.

D- No group ID is stored there.

Answer:

A