Question 1

What is the lowest level of permissions required to delete a folder?

Options:

A- Administrator

B- Editor

C- Manager

D- Viewer

Answer:

A

Explanation:

https://docs.appian.com/suite/help/23.2/folder-and-document-management.html#deleting-folders

Question 2

Which two filter types should you apply to limit the record list by default? (Choose two.)

Options:

A- Default filters

B- Source filters

C- User filters

D- Filter by search field

Answer:

A, C

Explanation:

https://docs.appian.com/suite/help/21.2/Records_Tutorial.html#phase-3-configure-your-record-list

Question 3

A record for Employees has been created.

What is the correct use case for a record list action?

Options:

A- View the details at an Employee

B- Delete an existing Employee

C- Add a new Employee

D- Update an existing Employee

Answer:

A

Explanation:

A record list action is typically used to retrieve a list of records that match certain criteria or conditions. It allows you to query and fetch multiple records from a data source based on specified filters or sorting rules. In the context of the given scenario, where a record for Employees has been created, a record list action would be suitable for viewing the details of multiple employees. It enables you to fetch and display a list of employee records, allowing you to view their respective details.

Question 4

Question Type: MultipleChoice

An organization has data spread across multiple platforms outside of Appian. They want to create an Appian application to leverage this data.

Which record type data source should they use?

Options:

A- Web Service

B- Database

C- Salesforce

D- Process

Answer:

A

Question 5

Question Type: MultipleChoice

An Appian user needs to update information for a case in the record list.

Which three security or visibility settings will impact the visibility of a related action? (Choose three.)

Options:

A- Record type security

B- Related action visibility

C- Record view visibility

D- Process model security

E- Application security

Answer:

A, B, D

Question 6

Question Type: MultipleChoice

You are configuring a record type and utilizing data sync.

Appian does NOT have write access to the source database table, and will not make updates. Which data sync option is most appropriate for your situation?

Options:

A- Hourly Sync

B- Manual Sync

C- Daily Sync

D- Immediate Sync

Answer:

B

Explanation:

The most appropriate data sync option in this situation would be B. Manual Sync, since Appian cannot write updates to the source database table and therefore, it would not make sense to schedule a regular automatic sync. Instead, the sync should be initiated manually by an authorized user when necessary.

Question 7

Question Type: **MultipleChoice**

What are the different data sources for Appian record types?

Options:

A- Database and Process only

B- Database, Process, and Other Web Service

C- Database, Process, Salesforce, and Other Web Service

D- Process and Other Web Service only

Question 8

Question Type: MultipleChoice

A record type is using a process as its data source. Which statement is true?

Options:

A- Archived process instances are accessible with process-backed records.

B- The record has access to current values of process variables within process instances.

C- Process-backed records derive information from a data store entity.

D- Process-backed records can only access process variable values when a process instance completes.

Answer:

B

Explanation:

Question 9

Question Type: **MultipleChoice**

A related action was created in a record. A Related Action Shortcut needs to be added in order to call this action.

Where is this configured?

Options:

A- In the View Interface

B- On the Record View

C- In the Action Process Model

D- On the Record Action

Answer:

A

Question 10

You need to ensure that your interface is readable on different devices.

How is this most commonly checked?

Options:

A- Download Appian on each device and test.

B- Use your web browser to change sizing.

C- Click on the different preview options in the Interface Designer.

D- Wrap SAIL code in a!isPageWidtht().

Answer:

C

Explanation:

https://docs.appian.com/suite/help/23.1/fnc_scripting_a_isPageWidth.html#:~:text=The%20a%21isPageWidth%20%28%29%20function%20gives%2

Question 11

Question Type: Hotspot

Match the parameters of a text field in an interface with their definition. Each definition will be used once.

Note: To change your responses, you may deselect your response by clicking the blank space at the top of the selection list.

Answer Area

Disabled

Select a match

Answer:

```
                                                                    ⌄
```

Determines if the field should display as editable.
Determines if the field should be grayed out.
Determines whether the field is displayed in the Interface.
Determines whether the value of the field is hidden behind asterisks.

Visibility

Select a match

```
                                                                    ⌄
```

Determines if the field should display as editable.
Determines if the field should be grayed out.
Determines whether the field is displayed in the Interface.
Determines whether the value of the field is hidden behind asterisks.

Read-only

Select a match

```
                                                                    ⌄
```

Determines if the field should display as editable.
Determines if the field should be grayed out.
Determines whether the field is displayed in the Interface.
Determines whether the value of the field is hidden behind asterisks.

Masked

Select a match

```
                                                                    ⌄
```

Determines if the field should display as editable.
Determines if the field should be grayed out.
Determines whether the field is displayed in the Interface.
Determines whether the value of the field is hidden behind asterisks.