

Free Questions for C1000-074 by dumpshq

Shared by Dunlap on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

A FileNet Deployment Professional has been using the Configuration Manager tool to install a new Content Platform Engine environment. The status of several of the tasks that have already been run in this environment needs to be checked.

What command is passed to the Configuration Manager to check the status of the configuration tasks?

Options:

- A- checkstatus
- **B-** installstatus
- C- systemstatus
- **D-** configstatus

Answer:

С

Question 2

Question Type: MultipleChoice

A Content Platform Engine is deployed within an IBM WebSphere Application Server environment.

To enable Kerberos, what additional application login module needs to be created and configured within WebSphere Application Server?

Options:

- A- KerberosServiceFileNetP8
- **B-** IBMFileNetP8KerberosService
- C- FileNetP8KerberosService
- D- KerberosServicelBMFileNetP8

Answer:

C

Question 3

Question Type: MultipleChoice

Which role is typically responsible for configuring the directory servers required by FileNet P8 components?				
Options:				
A- Application server administrator				
B- Security administrator				
C- Installation administrator				
D- Database administrator				

Answer:

Α

Question 4

Question Type: MultipleChoice

What happens when the Content Platform Engine JVM heap runs out of memory?

	4.5	
()	ntione:	
V	ptions:	

- A- All processing in the JVM stops.
- B- The JVM restarts to clear its memory.
- **C-** The JVM borrows memory from other clusters members.
- D- The Content Platform Engine restarts to clear its memory.

Answer:

Α

Explanation:

https://www.ibm.com/docs/en/filenet-p8-platform/5.5.x?topic=components-tuning-jvm-heap-size

Question 5

Question Type: MultipleChoice

After deploying Content Platform Engine, the GCD section on the FileNet P8 System Health page displays a red icon.

What might this be an indication of?

Options:

- **A-** The bootstrap username and password are defined correctly.
- B- The GCD XA and non-XA data sources are undefined.
- C- The GCD XA and non-XA data sources have unique names.
- D- The GCD contains a domain object.

Answer:

Α

Question 6

Question Type: MultipleChoice

Prior to creating a connection to the Fixed Content Device in ACCE, which tool(s) is (are) used to create and configure the fixed content device?

Options:	
A- FileNet Deployment Manage	ger
B- Content Navigator	
C- FileNet Configuration Man	ager
D- Tools supplied by the vend	or of the fixed content provider
Answer:	
D	
Question 7 uestion Type: MultipleChoice	
uestion Type: MultipleChoice	nd version displayed on the Content Platform Engine Context Startup Page, which file in the installation

^ ^	version	+\/+
	VPI SILII	1 X I
	V C I O I O I I	

- B- ce_startup.txt
- C- ce_release.txt
- D- ce build.txt

Answer:

Α

Explanation:

https://www.ibm.com/docs/en/filenet-p8-platform/5.2.1?topic=engine-verifying-content-platform-deployment

Question 8

Question Type: MultipleChoice

A Content Platform Engine environment is installed and configured in a highly available environment using WebSphere Application Server on application servers named myserverl .com and myserver2.com in a cluster named mycluster using the default HTTP transport port. The environment also includes a load balancer with the virtual server name myloadbalancer.

What is the typical URL used to connect to the Content Platform Engine environment using Content Engine Web Services?

Options:

- A- http://myserver2/wsi/FNCEWS40MTOM/
- B- http://myloadbalancer/wsi/FNCEWS40MTOM/
- C- http://myserver1 /wsi/FNCEWS40MTOIW
- D- http://mycluster/wsi/FNCEWS40MTOM/

Answer:

С

Question 9

Question Type: MultipleChoice

When configuring Content Platform Engine, which file indicates that the Configure GCD JDBC Data Sources task completed successfully?

Options:					
4- configurejdbcgcd.done					
3- configurejdbcgcd.succes	SS				
- configurejdbcgcd.good					
O- configurejdbcgcd.ok					
Answer:					
<u> </u>					
,					
,					
,					
uestion 10					
uestion 10					
	e				
uestion 10	e				
uestion 10 estion Type: MultipleChoic		stant Diatform Engin	o De domain lovel re	nouroon?	
uestion 10		ntent Platform Engin	e P8 domain-level re	sources?	
uestion 10 estion Type: MultipleChoic		ntent Platform Engin	e P8 domain-level re	sources?	
uestion 10 estion Type: MultipleChoic		ntent Platform Engin	e P8 domain-level re	sources?	
uestion 10 estion Type: MultipleChoic		ntent Platform Engin	e P8 domain-level re	sources?	
uestion 10 estion Type: MultipleChoic Which account can create,		ntent Platform Engin	e P8 domain-level re	sources?	
uestion 10 estion Type: MultipleChoic	modify, and delete Cor	ntent Platform Engin	e P8 domain-level re	sources?	

B- Content Platform Engine application server installation administrator
C- GCD Administrator
D- Content Platform Engine Service User
Answer:
В
Question 11
<u>Question in </u>
Question Type: MultipleChoice
Which tool is used to change the port on which the IBM Content Search Sen/ices server listens for requests?
Options:
A- dumplndex
B- checkIndex
C- adminTool
D- configTool

Λ	n	01	.,	_	100	
А	•	SI	N	ㄷ	•	

D

To Get Premium Files for C1000-074 Visit

https://www.p2pexams.com/products/c1000-074

For More Free Questions Visit

https://www.p2pexams.com/ibm/pdf/c1000-074

