Question 1

The Security Operation Team requested a report to show users who have logged in the last seven days.

Which report in the Builtin Reports Library should you use?

The Security Operation Team requested a report to show users who have logged in the last seven days.

Which report in the Builtin Reports Library should you use?

Options:

A- Active Users

B- MFA Summary

C- Logins Map

D- Top User Logins

Answer:

D

Question 2

Which CyberArk Identity supported web standard is commonly used for enterprise Single Sign-On and issues XML tokens for authentication?

Options:

A- SAML2.0

B- QAuth

C- RADIUS

D- LDAP

Answer:

A

Question 3

On which operating systems can the CyberArk Authenticator desktop application be installed? (Choose two.)

Options:

A- OS

B- Windows 10

C- Ubuntu

D- MacOS

E- Android

Answer:

B, D

Question 4

Question Type: **MultipleChoice**

Refer to the exhibit.

Which statement is correct about this configuration shown?

User Account Settings

| Yes ▼ | Enable users to configure Security Questions ⓘ |

| -- ▼ | Require users to configure Security Questions on login |

☐ Allow duplicate security question answers ⓘ

| 1 | Required number of user-defined questions * |

| 0 | Required number of admin-defined questions * ⓘ |

| 3 | Minimum number of characters required in answers * |

Authentication Profile required to set Security Questions

| -- ▼ |

A- Users are allowed to answer security questions as part of the multi-factor authentication process.

B- There is no requirement to configure at least one user-defined question.

C- You can choose to answer at least one admin-defined question.

D- It is optional to keep the minimum number of characters required in answers to three.

Answer:

A

Question 5

Question Type: **MultipleChoice**

A customer's IT admin asks you to disable CyberArk Identity Connector auto-update software options.

Which statement is correct?

Options:

A- Submit a support ticket to the CyberArk support team and ask them to disable the CyberArk Connector auto-update software remotely

B- Identity does not allow you to disable the Connector software auto-update.

C- The Connector software auto-update can be disabled on the CyberArk Identity Connector server under the configuration window.

D- You can disable the Connector software auto-update on CyberArk Identity SaaS Admin Portal under Settings -> Network -> CyberArk Identity Connectors.

Answer:

C

Question 6

Question Type: DragDrop

Match each listed task to indicate if an administrator can perform it in the Admin Portal.

can be performed in the Admin Portal	Drag answer here
cannot be performed in the Admin Portal	Drag answer here
CyberArk Identity User Behavior Analytics Settings Configuration, such as Models, Risk Models and Threat Intelligence	Drag answer here
Identity Verification, such as perform the identity verification process for end users with a mobile phone number	Drag answer here

can be performed in the Admin Portal
cannot be performed in the Admin Portal