



Free Questions for DES-1D12 by dumpshq

Shared by Christian on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which describes cascade replication on a Dell Unity XT?

Options:

- A- Synchronous replication of a file resource from Sites A to B. then B to C then C to D
- B- Asynchronous replication of a block resource from Sites A to B then B to C then C to D
- C- Synchronous replication of a block resource from Sites A to B. then B to C. then C to D
- D- Asynchronous replication of a file resource from Sites A to B then B to C. then C to D

Answer:

C

Question 2

Question Type: MultipleChoice

What is the maximum number of SAS buses per SP for a Dell Unity XT 480F without an additional SAS I/O module1?

Options:

A- 4

B- 3

C- 1

D- 2

Answer:

B

Question 3

Question Type: MultipleChoice

What is the maximum number of data drives that can be put in to a Dell PowerStore 1000T base enclosure?

Options:

A- 23

B- 21

C- 25

D- 24

Answer:

A

Question 4

Question Type: MultipleChoice

A technical architect is helping a customer prepare for a data center maintenance window. All applications must failover to the disaster recovery site. The customer also wants to test their disaster recovery plan.

What PowerStore Manager replication option should be used to address the customer's need, and from which site should the option be run?

Options:

- A- Planned failover from target site
- B- Planned failover from source site
- C- Failover from target site
- D- Failover from source site

Answer:

B

Question 5

Question Type: MultipleChoice

An administrator wants to use NAS Server Mobility to move a NAS server from SPA to SPB on a Dell Unity system. What consideration must they be aware of?

Options:

- A- DNS configuration will be lost after the move

- B-** NAS Server Mobility is no longer supported following a software update
- C-** Any replication sessions must be in a paused state before starting the move
- D-** The system must be in service mode to complete the move

Answer:

B

Question 6

Question Type: MultipleChoice

Which methods are available to migrate storage resources from one Dell PowerStore appliance to another within the same cluster?

Options:

- A-** Assisted Migration and Live Migrate
- B-** Migrate and Assisted Migration
- C-** Assisted Migration and Volume Motion
- D-** Volume Motion and Live Migrate

Answer:

C

Question 7

Question Type: MultipleChoice

What is the minimum RPO that can be configured on a Dell Unity XT block-asynchronous replication session?

Options:

A- 5 minutes

B- 60 minutes

C- 1 minute

D- 20 minutes

Answer:

B

Question 8

Question Type: MultipleChoice

Which network option should be configured to provide the best iSCSI performance on a Dell Unity XT array?

Options:

- A- A iSCSI offload
- B- Single VLAN for all traffic
- C- Jumbo frames
- D- Disable flow control

Answer:

B

Question 9

Question Type: MultipleChoice

Which describes the Dell Unity XT MetroSync replication topology?

Options:

- A-** A source block resource replicating synchronously from Site A to Site B and replicating synchronously from Site A to Site C
- B-** A source file resource replicating synchronously from Site A to Site B and replicating asynchronously from Site A to Site C
- C-** A source file resource replicating synchronously from Site A to Site B and replicating synchronously from Site A to SiteC
- D-** A source block resource replicating synchronously from Site A to Site B and replicating asynchronously from Site A to Site C

Answer:

B

Question 10

Question Type: MultipleChoice

A technical architect is working with a customer to design a Dell Unity XT solution. The customer is concerned about enabling the data reduction storage service.

What system condition should the architect recommend for enabling data reduction?

Options:

- A- CPU utilization above 80%
- B- Free capacity at or less than 50% free capacity
- C- CPU utilization at or less than 50%
- D- Free capacity above 80%

Answer:

C

Question 11

Question Type: MultipleChoice

A customer has implemented five new Dell PowerStore 1000T model arrays for remote office sites. The arrays are going to need more capacity than originally thought

What NVRAM considerations must be evaluated before adding the new capacity?

Options:

- A- Use the DSA ordering system to determine if more NVRAM is supported for the PowerStore model
- B- Another NVRAM is only needed if adding an expansion shelf
- C- The 1000T only supports two NVRAM modules
- D- Use the Dell PowerStore Manager UI to determine if more NVRAM is needed

Answer:

B

Question 12

Question Type: MultipleChoice

A Dell PowerStore administrator has been asked to create a NAS file sharing environment for several clients. The clients will be running either Linux (NFS) or Windows (SMB) and must have access to the same data simultaneously

How can this be achieved using Dell PowerStore?

Options:

- A- Configure two NAS servers place all Linux data in one and all Windows data in the other
- B- Configure a snapshot rule and protection policy and apply it to the file system
- C- Configure multiprotocol access to required file system
- D- Configure file data to be replicated for access by different client types

Answer:

C

To Get Premium Files for DES-1D12 Visit

<https://www.p2pexams.com/products/des-1d12>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/des-1d12>

