

# Free Questions for 101 by dumpshq

**Shared by Bird on 20-10-2022** 

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

**Question Type:** MultipleChoice

An application has a mix of both and short and long lived connections. Which algorithm would provide and event distribution of all connections across the pool?

### **Options:**

- A- Priority group activate
- **B-** Least connections
- **C-** Static ration
- **D-** Round robin

#### **Answer:**

В

# **Question 2**

**Question Type:** MultipleChoice

For an IP of 192 168 10.10 with a subnet mask of 255 255.240 0 an administrator is asked to provide

- \* The first network address
- \* The broadcast address, and
- \* The number of hosts available per subnet host

What should be the administrator's response'?

### **Options:**

A- 192. 168. 0. 1 is the network address. 192.168.10 255 is the broadcast address. There are 16382 addressable hosts

B- 192. 168. 0. 0 is the network address 192 168 15 255 is the broadcast address. There are 4094 addressable hosts

C- 192.168. 0.0 is the network address. 192 168 16 255 is the broadcast address. There are 1022 addressable hosts

D- 192. 168.16. 0 is the network address, 192 168 31 255 is the broadcast address. There are 409J addressable hosts

#### Answer:

В

# **Question 3**

Question Type: MultipleChoice	
An IPv4 client tries to access to http://www.myserver.com	
Which type of DNS request should the client send to its configured DNS server?	
Options:	
A- type NS	
B- type A	
C- type AAAA	
D- type MX	
Answer:	
В	
Question 4	

# **Question 4**

**Question Type:** MultipleChoice

An administrator needs to deploy a VON solution that offers data integrity and origin authentication of IP packets. Which solution the administrator use?

### **Options:**

- A- IPSecVPN
- **B-** PPTP
- C- GRE
- D- SSL VPN

#### **Answer:**

Α

# **Question 5**

**Question Type:** MultipleChoice

Client traffic for a web application is managed by load balancers in a high availability configuration. After a failover event all clients ant forced to login again to the application.

What is the most like reason this occurred?

### **Options:**

- A- Clients were sending request to failed load balancer
- B- correction mirroring configuration was NOT configured on the load balancer
- C- The server was responding to the failed load balancer
- D- SSL offloading was NOT configured on the load balancer

#### **Answer:**

В

# **Question 6**

### **Question Type:** MultipleChoice

A new virtual server is being tested to replace http://myapp.mydomain.com. The original virtual server is still on use. And the new virtual server is on a different ip address. What should be done to test this new virtual server using the fully quailed domain name for this application?

### **Options:**

- A- add a DNS record for the fully qualified domain name
- B- add the fully qualified domain name to the browser cache
- C- make an entry in the client host file
- D- make an entry in the web server services file

#### **Answer:**

C

# **Question 7**

#### **Question Type:** MultipleChoice

A web administrator has added content to a web application, but users are unable to access the new content What could be preventing them from accessing the content?

### **Options:**

A- The webapp uses negative security, and the attack signature is using an invalid regular expression

- B- The webapp uses positive security. and the nourishes database has not been updated
- C- The webapp uses positive security, and the new content has not been defined as allowed behavior
- D- The webapp uses negative security. and the denial of service signatures have not been updated

### **Answer:**

C

## **To Get Premium Files for 101 Visit**

https://www.p2pexams.com/products/101

## **For More Free Questions Visit**

https://www.p2pexams.com/f5-networks/pdf/101

