



Free Questions for 102-500 by dumpshq

Shared by Rasmussen on 20-10-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Given the following excerpt of the sudo configuration:

```
jane ANY=NOPASSWD: /bin/kill, /bin/id, PASSWD: /sbin/fdisk
```

Which of the following statements are true? (Choose three.)

Options:

- A- Jane can run /bin/id only after specifying her password.
- B- Jane can run /sbin/fdisk after specifying root's password.
- C- Jane can run /sbin/fdisk after specifying her password.
- D- Jane can run /bin/kill without specifying a password.
- E- Jane can run /bin/id without specifying her password.

Answer:

C, D, E

Question 2

Question Type: MultipleChoice

What is the purpose of TCP wrapper?

Options:

- A- Manage and adjust bandwidth used by TCP services.
- B- Bind a network service to a TCP port.
- C- Encapsulate TCP messages in IP packets.
- D- Add SSL support to plain text TCP services.
- E- Limit access to a network service.

Answer:

E

Question 3

Question Type: MultipleChoice

What output is produced by the following command sequence?

```
echo '1 2 3 4 5 6' | while read a b c; do
```

```
echo result $c $b $a;
```

```
done
```

Options:

A- result: 6 5 4

B- result: 1 2 3 4 5 6

C- result: 3 4 5 6 2 1

D- result: 6 5 4 3 2 1

E- result: 3 2 1

Answer:

C

Question 4

Question Type: MultipleChoice

What the echo \$\$ command?

Options:

- A-** The process ID of the current shell.
- B-** The process ID for the following command.
- C-** The process ID of the last command executed.
- D-** The process ID of the last command which has been placed in the background.
- E-** The process ID of the echo command.

Answer:

A

Question 5

Question Type: MultipleChoice

Which of the following commands should be executed when starting a login shell in order to change the language of messages for an internationalized program to Portuguese (pt)?

Options:

- A- export LANGUAGE="pt"
- B- export LC_MESSAGES="pt"
- C- export UI_MESSAGES="pt"
- D- export MESSAGE="pt"
- E- export ALL_MESSAGES="pt"

Answer:

B

Question 6

Question Type: MultipleChoice

Which of the following fields are available in the standard format of both the global `/etc/crontab` file as well as in user-specific crontab files? (Choose two.)

Options:

A- Year

B- Minute

C- Username

D- Effective group ID

E- Command

Answer:

B, D

Question 7

Question Type: MultipleChoice

Which of the following statements is true regarding systemd timer units?

Options:

- A- Timer units can only be defined within a service unit's file.
- B- The command executed by the timer is specified in the timer unit's [Cmd] section.
- C- A dedicated system service, systemd-cron, handles the execution of timer units.
- D- Timer units only exist in the system scope and are not available for users.
- E- Each systemd timer unit controls a specific systemd service unit.

Answer:

E

Question 8

Question Type: MultipleChoice

What can be specified with useradd? (Choose two.)

Options:

- A- Commands the user can run using sudo.
- B- The absolute path to the user's home directory.

- C- Which printers are available for the new user.
- D- The SSH keys used to login to the new account.
- E- The numeric user ID (UID) of the user.

Answer:

B, E

Question 9

Question Type: FillInTheBlank

Which file, if present, must contain all users that are allowed to use the cron scheduling system? (Specify the full name of the file, including path.)

Answer:

To Get Premium Files for 102-500 Visit

<https://www.p2pexams.com/products/102-500>

For More Free Questions Visit

<https://www.p2pexams.com/lpi/pdf/102-500>

