Free Questions for 201-450

Shared by Whitehead on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: FillInTheBlank

Which program lists information about files and network connections opened by processes? (Specify ONLY the command without any path or parameters.)

Answer:

lsof, /usr/bin/lsof

Question 2

Question Type: MultipleChoice

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?

pvcreate, _____, _____, mkfs, mount

Options:

A- lvcreate, mdadm
B- lvcreate, vgcreate
C- lvmcreate, vgcreate
D- vgcreate, lvcreate
E- vgcreate, mdadm

Answer:

D

Question 3

Question Type: FillInTheBlank

Running tcpdump -nli eth1 'tcp' shows the following output:

14:41:53.694538 IP 10.1.52.145.51738 > 24.215.7.162.143: Flags [.], ack 33051, win 1002, options [nop,nop,TS val 36789130 ecr 1746004159], length 0

What is the source IP address of this packet? (Please specify the answer in digits and dots ONLY.)

Answer:

10.1.52.145

Question 4

Question Type: MultipleChoice

Which of the following commands restores only those files containing lpi in their name from the archive lpifiles.tar.gz?

Options:

A- tar xvzf lpifiles.tar.gz --wildcards '*lpi*'
B- tar xvzwf lpifiles.tar.gz '*lpi*'
C- tar -xvfz lpifiles.tar.gz --deep '*lpi*'
D- tar -xvzf lpifiles.tar.gz --subdirs '*lpi*'
E- tar xvzf lpifiles.tar.gz --globbing '*lpi*'

Answer:

A

Question 5

Question Type: FillInTheBlank

Which file contains the message that is displayed above the login prompt of the system console? (Specify the full name of the file, including path.)

Answer:

/etc/issue

Question 6

Question Type: MultipleChoice

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the network 10.10.1.0/24? (Select TWO answers)

Kernel IP routing table

Destination Gateway Genmask Flags Metric Ref Use Iface

203.0.113.162 0.0.0.0 255.255.255.255 UH 0 0 0 ppp0

172.16.87.0 0.0.0.0 255.255.255.0 U 0 0 0 eth0

192.168.246.0 0.0.0.0 255.255.255.0 U 0 0 0 eth1

10.10.1.0 192.168.246.11 255.255.255.0 UG 0 0 0 eth1

127.0.0.0 0.0.0.0 255.0.0.0 U 0 0 0 lo

0.0.0.0 203.0.113.162 0.0.0.0 UG 0 0 0 ppp0

Options:

A- ip net delete 10.10.1.0/24
B- route del 10.10.1.0/24
C- route del -net 10.10.1.0/24
D- route del 10.10.1.0/24 gw 192.168.246.11
E- ip route delete 10.10.1.0/24

Answer:

C, E

Question 7

Question Type: MultipleChoice

What is the purpose of a system mount unit?

Options:

A- It is used by the command systemd-mount and allows users to mount partitions to mount

points of their choice

B- It is used only to mount network file systems to local mount points. It cannot be used for local media

C- It is created by the command systemd-fstab-generator to integrate entries from /etc/fstab into the system boot process

D- It is used by the command mount when using system to mount and unmount file systems

Answer:

A

To Get Premium Files for 201-450 Visit
https://www.p2pexams.com/products/201-450

For More Free Questions Visit
https://www.p2pexams.com/lpi/pdf/201-450

