



Free Questions for C_FIORDEV_22 by dumpshq

Shared by Allen on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? Note: There are 2 correct answers to this question.

Options:

- A- Retrieve the token and send it with each write request
- B- Execute the Refresh method for an expired token.
- C- Include the token in the HTTP request body of each write request
- D- Generate a token on each read and write request

Answer:

A, B

Question 2

Question Type: MultipleChoice

Which of the following floorplans also have a standard SAP Fiori Elements implementation available as a part of SAP Fiori 2.0? Note:
There are 3 correct answers to this question.

Options:

- A- Analytical List Page
- B- Wizard
- C- Initial Page
- D- Overview Page
- E- List Report

Answer:

A, D, E

Question 3

Question Type: MultipleChoice

Why do you explore the Problem Space in detail during a Design Thinking workshop?

Options:

- A- To create desirable solutions
- B- To validate solution ideas
- C- To understand user needs
- D- To save costs in the evaluation phase

Answer:

C

Question 4

Question Type: MultipleChoice

A business user is unable to find an application on the SAP Fiori Launchpad or on the App Finder. Which of the following options could explain why the tile is unavailable? Note: There are 3 correct answers to this question.

Options:

- A- The user does not have the proper PFCG role assigned to see the application or tile
- B- The catalogs assigned to the user do not contain the relevant application or tile.
- C- The end user is missing the required group containing the tile
- D- The target mapping for the tile is missing in the catalog
- E- The OData service authorization is missing

Answer:

C, D, E

Question 5

Question Type: MultipleChoice

What are the Lifecycle events of an SAPUI5 view controller? Note: There are 2 correct answers to this question.

Options:

- A- onExit
- B- beforeEntry

C- aterExecution

D- onBeforeRendering

Answer:

A, D

Question 6

Question Type: MultipleChoice

Which SAP Fiori application can you launch using the search function instead of a tile?

Options:

A- Transactional

B- Factsheet

C- Analytical

D- Legacy


Answer:

B

Question 7

Question Type: MultipleChoice

Your customer requires an app to display flight information on a mobile device as detailed in the following screenshot for details. Which options can you use to display the same data in a readable format on a mobile device? Note: There are 2 correct answers to this question.



The screenshot shows a mobile application interface with a light blue header containing an information icon and a share icon. Below the header, the word "Flights" is displayed. A table with a grey header and white rows is shown. The table has six columns: Flight No., Date, From, To, Price, and Airplane. Two rows of flight data are visible, separated by a dashed line. The first row shows flight 0017 on Tue Apr 07 2015 at 20:00:00 GMT-0400 (Universal Time Clock) from new york to SAN FRANCISCO for \$422.94 on a 747-400. The second row shows flight 0017 on Tue Apr 21 2015 at 20:00:00 GMT-0400 (Universal Time Clock) from new york to SAN FRANCISCO for \$422.94 on a 747-400.

Flight No.	Date	From	To	Price	Airplane
0017	Tue Apr 07 2015 20:00:00 GMT-0400 (Universal Time Clock)	new york	SAN FRANCISCO	422.94	747-400
0017	Tue Apr 21 2015 20:00:00 GMT-0400 (Universal Time Clock)	new york	SAN FRANCISCO	422.94	747-400

Options:

- A- Column:<column demandpopin='true' maxscreenwidth='mobile'></column>
- B- Column:<column demandpopin='true' maxscreenwidth='mobile' popindisplay='Inline'x/column>
- C- Column:<column demandpopin='true' minscreenwidth='tablet'x/column>
- D- Column:<column demandpopin='true' minscreenwidth='tablet' popindisplay='Inline'x/column>

Answer:

C, D

Question 8

Question Type: MultipleChoice

What are the advantages of the Sinon.JS framework? Note: There are 2 correct answers to this question.

Options:

- A- It enables test-driven development.

B- It supports only synchronous requests.

C- It supplies higher level test doubles for timers and AJAX requests.

D- It provides support for spies, stubs and mocks.

Answer:

C, D

To Get Premium Files for C_FIORDEV_22 Visit

https://www.p2pexams.com/products/c_fiordev_22

For More Free Questions Visit

<https://www.p2pexams.com/sap/pdf/c-fiordev-22>

