



Free Questions for [CWAP-403](#) by [dumpsheet](#)

Shared by [Morin](#) on [06-06-2022](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

What is the formula used to calculate the Duration field value in an RTS frame?

Options:

- A- RTS Duration field = CTS duration
- B- RTS Duration field = Data or management to be sent frame duration
- C- RTS Duration field = Data or management frame to be sent duration + CTS duration + one ACK duration + three SIFS
- D- RTS Duration field = Data or management frame to be sent duration + CTS duration

Answer:

C

Question 2

Question Type: MultipleChoice

Why would a STA that supports 802.11k Radio Measurement send a Neighbor Request to an AP?

Options:

- A-** To learn about neighboring interference sources and tune its RF radio accordingly
- B-** To inform the current AP about the STA's intent to roam to a neighboring AP, ensuring a seamless handover
- C-** To request a list of neighboring APs which the STA can use as roaming candidates
- D-** To request a list of neighboring STAs which enables the STA to better pick the right protection mechanisms

Answer:

C

Question 3

Question Type: MultipleChoice

When would you expect to see a Reassociation Request frame?

Options:

- A- Every time a STA associates to an AP to which it has previously been associated
- B- Only when a STA is using FT roaming
- C- Only when a STA roams back to an AP it has previously been associated with
- D- Every time a STA roams

Answer:

D

Question 4

Question Type: MultipleChoice

Which one of the following is not a valid acknowledgment frame?

Options:

- A- RTS

- B-** CTS
- C-** Ack
- D-** Block Ack

Answer:

C

Question 5

Question Type: MultipleChoice

Which one of the following statements is not true concerning DTIMs?

Options:

- A-** Buffered Broadcast and Multicast traffic will be transmitted following a DTIM
- B-** The DTIM interval can dictate when an STA will wake up to listen to beacon frames
- C-** DTIM stands for Delivery Traffic Indication Map
- D-** Every Beacon frame must contain a DTIM

Answer:

B

Question 6

Question Type: MultipleChoice

How many frames make up the Group Key Handshake excluding any Ack frames that may be required?

Options:

A- 1

B- 2

C- 3

D- 4

Answer:

D

To Get Premium Files for CWAP-403 Visit

<https://www.p2pexams.com/products/cwap-403>

For More Free Questions Visit

<https://www.p2pexams.com/cwnp/pdf/cwap-403>

