



Free Questions for [DES-1241](#) by [dumpsheet](#)

Shared by [Nunez](#) on [12-12-2023](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

What is the default log collection schedule?

Options:

A- Weekly

B- As scheduled during install

C- Hourly

D- Daily

Answer:

B

Question 2

Question Type: MultipleChoice

What describes the SAS cabling when adding an expansion enclosure to a Dell EMC PowerStore, for each node and expansion enclosure side?

Options:

- A-** SAS cabling goes from existing A ports to new ports. At the last enclosure, SAS cabling returns from the A ports to the originating node's B ports
- B-** SAS cabling goes from existing A ports to new ports. At the last enclosure, SAS cabling returns from the A ports to the alternate node's ports
- C-** SAS cabling goes from existing ports to new A ports. At the last enclosure, SAS cabling returns from the ports to the alternate node's A ports
- D-** SAS cabling goes from existing ports to new A ports. At the last enclosure, SAS cabling returns from the ports to the originating node's A ports

Answer:

B

Question 3

Question Type: MultipleChoice

A Storage Administrator ran a PSTCLI command on a Linux host. The error "-bash: pstcli: command not found" appears. How is the problem resolved?

Options:

- A- Add the installation directory to the PATH variable on shell initialization file
- B- Install in default directory /opt/dellemc/pstcli-version/bin/
- C- Add /opt/dellemc/pstcli/bin/ in PSTCLI.sh
- D- Run rpm -ihv pstcli to reinstall the PSTCLI software on the Linux host

Answer:

A

Question 4

Question Type: MultipleChoice

Refer to the exhibit.

Hardware

APPLIANCES

PORTS

+ ADD

MODIFY

MORE ACTIONS

2 Appliances

<input type="checkbox"/> Name	Alerts	Model	Mode	Service Tag	Express Ser...	Status	IP Address
<input type="checkbox"/> TwoApplianceCluster-appliance-1	--	PowerSt...	Unified	CBP42W2	2682869...	Online	192.168.1.31
<input type="checkbox"/> TwoApplianceCluster-appliance-2	--	PowerSt...	Block Op...	BBP42W2	24651914...	Online	192.168.1.42

Which column indicates the master appliance?

Options:

A- IP Address

B- Model

C- Service Tag

D- Mode

Answer:

A

Question 5

Question Type: MultipleChoice

What is achieved when the Rapid Spanning Tree Protocol (RSTP) is enabled on a Dell EMC PowerStore network configuration?

Options:

A- Redundant connectivity between data switches

B- Communication between data switches and management switch on PowerStore T

C- Management between appliance and vCenter on PowerStore X

D- Fault tolerance between appliances in a PowerStore cluster

Answer:

C

Question 6

Question Type: MultipleChoice

How is a service laptop IP configured to connect to the Service LAN port of a Dell EMC PowerStore node?

Options:

- A- Static IP: 128.221.1.249 and netmask: 255.255.255.0
- B- Obtain IP address from DHCP on PowerStore
- C- Static IP: 169.254.1.249 and netmask: 255.0.0.0
- D- Leave IP address and netmask unconfigured

Answer:

A

Question 7

Question Type: MultipleChoice

What is a step in configuring the ToR data switches for a Dell EMC PowerStore T?

Options:

- A- Configure a port for the discovery laptop
- B- Create VLANs for NAS servers
- C- Create VLAN for vMotion networks
- D- Configure ports for management on native VLAN

Answer:

A

Question 8

Question Type: MultipleChoice

What safety equipment is critical to have on hand to avoid equipment failure before replacing any components in a Dell EMC PowerStore array?

Options:

- A- Maintenance Kit
- B- ESD Kit
- C- Stabilization Kit
- D- Rail Kit

Answer:

B

Question 9

Question Type: MultipleChoice

Which account credentials are needed to run diagnostic commands?

Options:

A- root

B- service

C- console

D- admin

Answer:

B

To Get Premium Files for DES-1241 Visit

<https://www.p2pexams.com/products/des-1241>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/des-1241>

