

Free Questions for H12-711 by dumpssheet

Shared by Phelps on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question Type: MultipleChoice

Which of the following protocols cannot be encrypted by SSL VPN?

Options:

A- HTTP

B- UDP

C- IP

D- PPP

Answer:

D

Question 2

Question Type: MultipleChoice

Which of the following options is not a communication	n electronic evidence?		
Options:			
A- Telephone recording			
B- Chat history			
C- Email			
D- System log			
Answer:			
A			

Question Type: MultipleChoice

Which of the following options is not a private network IP address?

0	nt	io	n	S :
$\mathbf{\mathbf{\mathcal{C}}}$	νι			J .

- **A-** 192.168.254.254/16
- B- 172.32.1.1/24
- **C-** 10.32.254.254/24
- **D-** 10.10.10.10/8

Answer:

В

Question 4

Question Type: MultipleChoice

The IDS is usually installed on the switch to detect intrusion, and at the same time, it can avoid the single point of failure affecting the normal operation of the network.

Options:

A- True

B- False			
Answer:			
A			
Question 5			
Question Type: MultipleChoice			
Options:			
A- RADIUS.Single sign-on			
B- ISM single sign-on			
C- AD single sign-on			
D- HWTACACS single sign-on			
Answer:			

Question Type: MultipleChoice

When an access user uses Client-InitiatedVPN to establish a tunnel with the LNS, how many PPP connections can a tunnel carry?

Options:

A- 3

B- 1


C- 2

D- 4

Answer:

В

Question 7



The key used by DES encryption is bits, while the key used by 3DES encryption is bits.

Options:

- **A-** 56168
- **B-** 64168
- **C-** 64128
- D- 56128

Answer:

D

Question 8

Question Type: MultipleChoice

Information security prevention technologies include: data encryption, identity authentication, intrusion prevention and anti-virus, etc.

Options:
A- True
B- False
Anewor:
Answer:
A
Question 9
Question 3
Question Type: MultipleChoice
Which of the following security measures does the monitor correspond to?
Which of the following security measures does the monitor correspond to:
Outland
Options:
A- Intrusion Detection System
B- Encrypted VPN
C- Access control system

D- Firewall	
Answer:	
A	
uestion 10	
nestion Type: MultipleChoice	
Which of the following options is	not included in the processing method adopted by the firewall for the matched authentication data flow?
Which of the following options is	not included in the processing method adopted by the firewall for the matched authentication data flow?
Which of the following options is	s not included in the processing method adopted by the firewall for the matched authentication data flow?
	s not included in the processing method adopted by the firewall for the matched authentication data flow?
Options:	s not included in the processing method adopted by the firewall for the matched authentication data flow?
Options: A- Portali certification	s not included in the processing method adopted by the firewall for the matched authentication data flow?
Options: A- Portali certification B- Certification-free	s not included in the processing method adopted by the firewall for the matched authentication data flow?
Options: A- Portali certification B- Certification-free C- WeChat authentication	s not included in the processing method adopted by the firewall for the matched authentication data flow?
Options: A- Portali certification B- Certification-free C- WeChat authentication	s not included in the processing method adopted by the firewall for the matched authentication data flow?
Options: A- Portali certification B- Certification-free C- WeChat authentication D- not certified Answer:	s not included in the processing method adopted by the firewall for the matched authentication data flow?

Question Type: MultipleChoice

Regarding the ServerMap table generated by NAT No-PAT, which of the following descriptions is correct

Options:

- A- The function of the Server Map generated by NAT No-PAT is equivalent to the security policy. That is, the packets matching the Server Map table can pass through the firewall directly without matching the security policy.
- **B-** There are two Server Maps generated by NAT No-PAT by default. One is a reverse Server Map table, which is mainly used for address translation without additional configuration of NAT and security policies when external network users actively access the private network users. to access.
- C- The Server Map generated by NAT No-PAT is static, that is, after NAT No-PAT is configured, the Server Map table is automatically generated and exists permanently.
- D- There are two Server Maps generated by NAT No-PAT by default, one is a forward Server Map table

Answer:

C

To Get Premium Files for H12-711 Visit

https://www.p2pexams.com/products/h12-711

For More Free Questions Visit

https://www.p2pexams.com/huawei/pdf/h12-711

