



**Free Questions for H11-851\_V3.0 by dumpssheet**

**Shared by Holmes on 05-09-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

The maximum number of hops dictates the designation. The maximum number of routing times for P communication in a conference, the less the number of routing times, the greater the delay.()

**Options:**

---

- A) True
- B) False

**Answer:**

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

The VGA non-return function of TE high-definition terminal is still valid in the shutdown state.()

**Options:**

---

A) True

B) False

**Answer:**

---

A

## Question 3

---

**Question Type: MultipleChoice**

---

SIP is an application layer protocol, independent of the transport layer protocol below, and can be carried on different transport protocols such as UDP/TCP/TLS. At present, TCP is the most commonly used.()

**Options:**

---

A) True

**B) False**

**Answer:**

---

A

## Question 4

---

**Question Type: MultipleChoice**

---

The function of the proxy server is to forward requests or responses to clients. It can be used as a server and a client at the same time to determine the next jump to send a request message.()

**Options:**

---

**A) True**

**B) False**

**Answer:**

---

A

## Question 5

---

**Question Type: MultipleChoice**

---

The site call conference has one more process for signaling interaction between the terminal and the GK than the general conference, and this process complies with the H.225 protocol. ()

**Options:**

---

- A) True
- B) False

**Answer:**

---

A

## Question 6

---

**Question Type: MultipleChoice**

---

Video conference system generally consists of terminals, communication network, MCU, GK and other parts.()

**Options:**

---

A) True

B) False

**Answer:**

---

A

## Question 7

---

**Question Type: MultipleChoice**

---

SMC, MCU, recording server, terminal all have meeting recording function.

**Options:**

---

A) True

B) False

**Answer:**

---

B

## Question 8

---

**Question Type:** MultipleChoice

---

existSMCWhen a service area is added on 3.0, a registration sc must be specified, otherwise the service area cannot be created.()

**Options:**

---

A) True

B) False

**Answer:**

---

A

## Question 9

---

**Question Type: MultipleChoice**

---

SMC2.0 supports both independent deployment in the server, and also supports co-location with SC and EUA in a server.()

**Options:**

---

- A) True
- B) False

**Answer:**

---

A

## Question 10

---

**Question Type: MultipleChoice**

---

In cascaded conferences, conference control operations on lower-level conference sites are not supported.()

**Options:**

---



- A) True
- B) False

**Answer:**

---

B

## Question 11

---

**Question Type: MultipleChoice**

---

In conferences that are fully compatible with MCUs, the MCU allocates image codec resources to each conference site separately.()

**Options:**

---

- A) True
- B) False

**Answer:**

---

A

**To Get Premium Files for H11-851\_V3.0 Visit**

[https://www.p2pexams.com/products/h11-851\\_v3.0](https://www.p2pexams.com/products/h11-851_v3.0)

**For More Free Questions Visit**

<https://www.p2pexams.com/huawei/pdf/h11-851-v3.0>

