

Free Questions for JN0-1302 by dumpssheet

Shared by Williams on 12-12-2023


For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Click the Exhibit button.



You need to ensure that no single point of failure exists in a new data center that will be deployed.

Referring to the exhibit, which two technologies will accomplish this requirement? (Choose two.)

Options:

- A- Virtual Chassis
- **B-** LLDP
- C- MC-LAG
- D- LAG

Answer:

A, C

Question 2

Question Type: MultipleChoice

Which two elements are available to implement security within a vRouter managed by Contrail? (Choose two.)

Options:	
A- Security Policy	
B- Security Group	
C- IPsecVPN	
D- Network Policy	
Answer:	
B, D Duestion 3	
uestion 3	hoice
Question 3 Lestion Type: MultipleC	
Question 3 Lestion Type: MultipleC	hoice ect about end-of-row (EoR) access switch designs when compared to top-of-rack (ToR) designs?
Question 3 Lestion Type: MultipleC	

- B- EoR designs require fewer cable connections to all servers.
- **C-** EoR designs typically provide fewer access devices to manage.
- D- Large EoR designs minimize the overall cable length required to connect to all servers.

Answer:

C

Question 4

Question Type: MultipleChoice

Which two statements are correct when considering redundancy in a data center design? (Choose two.)

Options:


- A- Virtual Chassis is not supported in IP fabric designs.
- B- Routing protocols in an IP fabric must support ECMP.
- C- Redundant power supplies should be wired to the same PDU.
- D- LAG between a server and an IP fabric should be on separate physical leaf devices.

Answer:	
B, D	
Question 5	
Question Type: MultipleChoice	
You are designing a QoS scheme for your data center. You must ensure lossless Ethernet.	
What are three protocols that would be used in this scenario? (Choose three.)	
Options:	
A- TRILL	
B- SPB	
C- ETS	
D- DCBx	
E- PFC	
Answer:	
Answer:	

Question 6

Question Type: MultipleChoice

Click the Exhibit button.



Given the physical layout of the data center shown in the exhibit, which two statements are correct? (Choose two.)

Options:

- A- A single access tier exists for an entire row of servers.
- B- Each rack is managed as a single unit within the data center.
- C- Cable run lengths are minimized.
- D- The layout requires minimal uplinks.

Answer:

A, B

Question 7

Question Type: MultipleChoice

Your company is deploying a private cloud based on OpenStack and has selected Contrail Networking as their SDN controller. As part of this solution, you must implement distributed firewall capabilities.

In this scenario, which Contrail component implements this function?

Options:

A- vRouter

- B- vSwitch
- C- compute node
- D- installer

Answer:

Α

To Get Premium Files for JN0-1302 Visit

https://www.p2pexams.com/products/jn0-1302

For More Free Questions Visit

https://www.p2pexams.com/juniper/pdf/jn0-1302

