



Free Questions for PEGAPCSA87V1

Shared by Simmons on 20-10-2022

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)



Question 1

Question Type: DragDrop

Select each security implementation on the left and drag it to the corresponding security policies.

Implementation	Answer Area	
	Implementation	Security policies
Stop or slow a brute-force attack by enforcing a waiting period after three failed attempts.		Multi-factor authentication policies
A user is required to verify their identity with a one-time password sent by SMS text message.		CAPTCHA policies
Stop or slow a brute-force attack by enforcing a challenge-response test upon authentication failure.		Lockout policies

Answer:

See the Answer in the Premium Version!

Question 2

Question Type: MultipleChoice

You are developing a case type that processes scholarship applications. Scholarship applications advance based on the standardized test scores of the applicants. A decision shape directs the process flow. You want to test whether the process flows correctly, but you have not fully configured the user interface so that applicants can enter their standardized test scores.

How do you test that the process flows correctly based on the decision?

Options:

- A- Use the Run Rule window to create a unit test to evaluate the flow rule.
- B- Use a declare expression to set a value for the standardized test score field.
- C- Use Live UI to see how the case processes and if an error occurs.
- D- Use the Clipboard tool to set a value for the standardized test score field.

Answer:

A

Question 3

Question Type: MultipleChoice

A flow action calls a pre-processing data transform to initiate values. There are several flow actions available for the assignment. You want to make sure that the values are only initiated once for each flow action. How do you implement a solution?

Options:

- A- Do nothing. The pre-processing data transform is only called once for each assignment.
- B- Make sure that the flow action does not have the highest likelihood since it will always be invoked.
- C- Configure the data transform as post-processing instead of pre-processing.
- D- Add logic to the pre-processing data transform to test if values were already initiated.

Answer:

A

Question 4

Question Type: MultipleChoice

An organization has two lines of business: selling books for children and reselling college textbooks. The division selling books for children can use the same basic user interface (UI) as the division reselling textbooks with the exception of the payment methods. How do you apply the Situational Layer Cake™ in this scenario ?

Options:

- A- Place the UI rules in the base layer, and create a new layer for the payment rules for both lines of business.
- B- Place the UI rules and generic payment method rules in the base layer, and create a new layer for the division-specific payment rules.
- C- Place the UI rules in the base layer, and create a parallel base layer for the payments rules.
- D- Place the UI rules in the base layer, and create a new layer for the payment rule for each division.

Answer:

C

Question 5

Question Type: MultipleChoice

You configure an application to allow users to download a mobile app. When users select one of the three supported platforms (Android, iOS, or Windows Mobile), the application opens a new window pointing to the appropriate app store. How do you configure this behavior?

Options:

- A- Add a button for each platform and configure an action set for each button. In each action set, specify a click event and add an action that opens the vendor's URL in a window.
- B- Add one button and configure three action sets. In each action set, specify a click event and add an action that opens the vendor's URL in a window.
- C- Add one button and configure one action set. In the action set, specify a click event with three actions to open each vendor URL in a window. Apply a when rule to each action to determine the correct URL.
- D- Add three check boxes and one button. For each check box, configure an action set with a click event to set the value of the URL. For the button, configure an action set with a click event to open the URL in a window.

Answer:

A

Question 6

Question Type: Hotspot

Select the corresponding user interface (UI) action set component for each behavior in the Answer area.

<u>Behavior</u>	<u>UI Action Set Component</u>			
Get next work	<table border="1"> <tr><td>Event</td></tr> <tr><td>Action</td></tr> <tr><td>Condition</td></tr> </table>	Event	Action	Condition
Event				
Action				
Condition				
Required	<table border="1"> <tr><td>Event</td></tr> <tr><td>Action</td></tr> <tr><td>Condition</td></tr> </table>	Event	Action	Condition
Event				
Action				
Condition				
Tab key	<table border="1"> <tr><td>Event</td></tr> <tr><td>Action</td></tr> <tr><td>Condition</td></tr> </table>	Event	Action	Condition
Event				
Action				
Condition				



Answer:

See the Answer in the Premium Version!

Question 7

Question Type: MultipleChoice

In an application for configuring hardware equipment for new employees, the manager chooses a laptop model from a drop-down list. The list of available laptop models is maintained in an external system and may change over time. Which of the following do you use as the data source for this drop-down list ?

Options:

- A- A data page
- B- A local list
- C- A data table
- D- A data transform

Answer:

A

To Get Premium Files for PEGAPCSA87V1

Visit

<https://www.p2pexams.com/products/pegapcsa87v1>

For More Free Questions Visit

<https://www.p2pexams.com/pegasystems/pdf/pegapcsa87v1>

20%
DISCOUNT

P2P
exams