Question 1

Which type of query is used for scanning Infrastructure as Code (IaC) templates?

Options:

A- API

B- XML

C- JSON

D- RQL

Answer:

C

Question 2

Which two attributes are required for a custom config RQL? (Choose two.)

Options:

A- json.rule

B- cloud.account

C- api.name

D- tag

Answer:

B, C

Question 3

Which three serverless runtimes are supported by Prisma Cloud for vulnerability and compliance scans? (Choose three.)

A- Swift

B- Python

C- Dart

D- Java

E- Node.js

Answer:

B, D, E

Question 4

Question Type: MultipleChoice

Which role must be assigned to DevOps users who need access to deploy Container and Host Defenders in Compute?

Options:

A- Cloud Provisioning Admin

B- Build and Deploy Security

C- System Admin

D- Developer

Answer:

B

Question 5

Question Type: MultipleChoice

Which field is required during the creation of a custom config query?

Options:

A- resource status

B- api.name

C- finding.type

D- cloud.type

Question 6

Question Type: **MultipleChoice**

Which two statements apply to the Defender type Container Defender - Linux?

Options:

A- It is implemented as runtime protection in the userspace.

B- It is deployed as a service.

C- It is deployed as a container.

D- It is incapable of filesystem runtime defense.

Answer:

A, B

Question 7

Which alerts are fixed by enablement of automated remediation?

Options:

A- All applicable open alerts regardless of when they were generated, with alert status updated to 'resolved'

B- Only the open alerts that were generated before the enablement of remediation, with alert status updated to 'resolved'

C- All applicable open alerts regardless of when they were generated, with alert status updated to 'dismissed'

D- Only the open alerts that were generated after the enablement of remediation, with alert status updated to 'resolved'

Answer:

D

Question 8

What must be created in order to receive notifications about alerts generated when the operator is away from the Prisma Cloud Console?

Options:

A- Alarm rule

B- Notification rule

C- Alert rule

D- Offline alert

Answer:

B

Question 9

Question Type: **MultipleChoice**

What are the three states of the Container Runtime Model? (Choose three.)

Options:

A- Initiating

B- Learning

C- Active

D- Running

E- Archived

Answer:

A, D, E