



Free Questions for 1Z0-063 by ebraindumps

Shared by Buckley on 20-10-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which activity is audited by default and recorded in the operating system audit trail irrespective of whether or not database auditing is enabled?

Options:

- A- configuration of unified auditing mode
- B- execution of SQL statements by users connected with the SYSDBA privilege
- C- usage of the AUDIT statement
- D- creation of a fine grained audit policy

Answer:

C

Question 2

Question Type: MultipleChoice

Which three types of backups can be performed for a database running in NOARCHIVELOG mode? (Choose three.)

Options:

- A-** consistent whole database backup
- B-** backup of noncritical tablespaces without shutting down the instance
- C-** backup of the database without shutting down the instance
- D-** backup of only those blocks that have changed since the last backup while database is mounted
- E-** backup of only the used blocks in a critical tablespace (SYSTEM or SYSAUX) while the database is open

Answer:

A, C, D

Question 3

Question Type: MultipleChoice

Which three statements are true about Flashback Data Archive? (Choose three.)

Options:

- A- Flashback Data Archive prevents flashback queries from getting a snapshot-too-old error.
- B- A table enabled for Flashback Data Archive cannot be dropped unless Flashback Data Archive is disabled or disassociated first.
- C- To enable Flashback Data Archive for a table, it is mandatory to have a default Flashback Data Archive for a database.
- D- While enabling Flashback Data Archive for a table, if no name is provided for Flashback Data Archive, it is enabled using the default Flashback Data Archive.
- E- To use Flashback Data Archive, users must have unlimited quota on the Flashback Data Archive tablespace.

Answer:

B, C, D

Question 4

Question Type: MultipleChoice

Examine the RMAN commands:

```
RMAN> CONNECT TARGET "sbu@prod AS SYSBACKUP";
```

```
RMAN> CONNECT AUXILIARY "sbu@dup_db AS SYSBACKUP";
```

```
RMAN> DUPLICATE TARGET DATABASE TO dup_db  
FROM ACTIVE DATABASE  
PASSWORD FILE  
SECTION SIZE 400M;
```

Which statement is true about the DUPLICATE command?

Options:

- A-** It fails because there is no connection to a recovery catalogue.
- B-** It fails because no parallel channels are allocated for the auxiliary database.
- C-** It succeeds only if the target database is in MOUNT state.
- D-** It succeeds and creates multisection backup sets that are used for active database duplication.

Answer:

D

Question 5

Question Type: MultipleChoice

You execute the RMAN commands:

```
RMAN> CONFIGURE DEFAULT DEVICE TYPE TO disk;
```

```
RMAN> CONFIGURE DEVICE TYPE disk PARALLELISM 2;
```

```
RMAN> CONFIGURE CHANNEL 1 DEVICE TYPE DISK FORMAT '/disk1/%U';
```

```
RMAN> CONFIGURE CHANNEL 2 DEVICE TYPE DISK FORMAT '/disk2/%U';
```

```
RMAN> BACKUP DATABASE;
```

Which statement is true about the backup set created by the BACKUP command?

Options:

- A-** The default channel is allocated and the backup set is created in only one destination.
- B-** Two channels are allocated and backup pieces for the backup set are created in both the specified destinations.
- C-** Two channels are allocated and two copies of the backup set are taken in parallel in both locations.
- D-** Two channels are allocated and a copy of the backup set is taken in the location specified by CHANNEL 2.

Answer:

B

Question 6

Question Type: MultipleChoice

Your multitenant container database (CDB) CDB1 has two pluggable databases, PDB1 and PDB2. The local net service name CDB1 connects to the root database, and the service names PDB1 and PDB2 connect to the pluggable databases (PDBs), PDB1 and PDB2, respectively.

Examine the commands to change the value of the PDB modifiable initialization parameter:

```
$> sqlplus sys/oracle_4U@pdb1 AS SYSDBA
```

```
SQL> ALTER SYSTEM SET optimizer_use_sql_plan_baselines=FALSE SCOPE=BOTH;
```

```
SQL> CONN sys/oracle_4U@pdb2 AS SYSDBA
```

```
SQL> ALTER SYSTEM SET optimizer_use_sql_plan_baselines= TRUE SCOPE = BOTH;
```

```
SQL> CONN sys/oracle_4U@cdbl AS SYSDBA
```

```
SQL> ALTER SYSTEM SET optimizer_use_sql_plan_baseline=TRUE SCOPE=BOTH;
```

Which statement is true about the OPTIMIZER_USE_SQL_PLAN_BASELINES parameter?

Options:

- A-** It gives an error because it cannot be set for the root database.
- B-** It is set to TRUE for the root database and the pluggable database PDB2, because values can be set for this parameter at the PDB level in a PDB.
- C-** It is set to TRUE for the root database and all the PDBs, because the value set at the root level has higher precedence.
- D-** It is set to TRUE for the root database and all the PDBs, but is effective only when the CDB is restarted and the PDBs are reopened.

Answer:

B

Question 7

Question Type: MultipleChoice

Which two statements are true about encrypted backups performed by using RMAN? (Choose two.)

Options:

- A- Transparent encryption of backups uses an encryption wallet.
- B- A database uses the same encryption key for every encrypted backup.
- C- A password encryption of backups uses the password while creating and restoring backups.
- D- Image copy backups can be created by using password encryption.
- E- Encrypted backups can only be written to disk.

Answer:

A, C

To Get Premium Files for 1Z0-063 Visit

<https://www.p2pexams.com/products/1z0-063>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-063>

