



**Free Questions for [A00-281](#) by [ebraindumps](#)**

**Shared by [Monroe](#) on [15-04-2024](#)**

**For More Free Questions and Preparation Resources**

**[Check the Links on Last Page](#)**

## Question 1

---

**Question Type:** MultipleChoice

---

Which statement will create a report footnote that identifies the date and time that the SAS program was executed?

### Options:

---

- A- footnote1 'Created on &sysdate9 &systemtime';
- B- footnote1 = 'Created on &sysdate9 &systemtime';
- C- footnote1 'Created on &sysdate9 &systemtime';
- D- footnote1 = 'Created on &sysdate9 &systemtime';

### Answer:

---

A

## Question 2

---

**Question Type:** MultipleChoice

---

Which statement will produce report output that can be opened in Microsoft Word?

**Options:**

---

- A- ods rtf file='report.rtf';
- B- ods doc file='report.doc';
- C- ods type='word' file='report.doc';
- D- ods rtf='report.rtf';

**Answer:**

---

A

## Question 3

---

**Question Type: MultipleChoice**

---

Given the following demographic dataset:

DEMO					
subject	trt	age	gender	race	site
01002	A	28	MALE	BLACK	01
06003	B	18	MALE	HISPANIC	06
04001	B	24	FEMALE	CAUCASIAN	04
02003	A	14	FEMALE	CAUCASIAN	02
06005	A	20	MALE	BLACK	06
01004	B	13	MALE	CAUCASIAN	01

Which program will generate a report where observations will appear in order by SITE SUBJECT and display column headers for each variable defined in the column statement?

### Options:

---

**A-** Proc Report ;

```
column site subject trt age gender race ;
define site/'Site', subject/'Subject',
trt/'Treatment', age/'Age', gender/'Gender',
race/'Race' ;
run;
```

**B-** Proc Report ;

```
column site subject trt age gender race ;
define site, subject, trt, age, gender, race ;
by site subject ;
title 'Site Subject Treatment Age Gender Race' ;
run;
```

**C-** Proc Report ;

```
column site subject trt age gender race ;  
define site/order 'Site' ;  
define subject/order 'Subject' ;  
define trt/'Treatment' ;  
define age/'Age' ;  
define gender/'Gender' ;  
define race/'Race' ;  
run;
```

**D-** Proc Report ;

```
column site subject trt age gender race ;  
define site/order style(header)={'Site'} ;  
define subject/order style(header)={'Subject'} ;  
define trt/style(header)={'Treatment'} ;  
define age/style(header)={'Age'} ;  
define gender/style(header)={'Gender'} ;  
define race/style(header)={'Race'} ;  
run;
```

**Answer:**

---

C

## Question 4

---

**Question Type: MultipleChoice**

---

This question will ask you to provide lines of missing code.

```
<insert code here>  
proc print data=work.AE;  
run;  
<insert code here>
```

Which ODS statements, inserted respectively in the two locations indicated above, create a report stored in a PDF file?

**Options:**

---

**A-** ods pdf open='AE.pdf';

ods pdf close;

**B-** ods file open='AE.pdf' type=pdf;

ods file close;

**C-** ods pdf file='AE.pdf';

ods pdf close;

**D-** ods file pdf='AE.pdf';

ods file close;

**Answer:**

---

C

## Question 5

---

**Question Type:** MultipleChoice

---

A report that you are working on will require the following header lines:

```
Table 5.4  
Adverse Events  
By Body System, Preferred Term, and Greatest Severity
```

Which code adds the second line of the header "Adverse Events"?

### Options:

---

- A- header2 'Adverse Events';
- B- header2 = 'Adverse Events';
- C- title2 = 'Adverse Events';
- D- title2 'Adverse Events';

### Answer:

---

D

## Question 6

---

### Question Type: FillInTheBlank

---

This question will ask you to provide a line of missing code. You want to present a column header that contains breaks within the header as indicated below.

<u>Subject</u>	<u>Period 2 Treatment</u>	<u>Date</u>
----------------	-------------------------------	-------------

Given the following program:

```
proc report data=treatment <insert code here>;  
  column subject trt sdate ;  
  define subject / 'Subject' ;  
  define trt / 'Period 2*Treatment' ;  
  define sdate / 'Date' ;  
run;
```

In the space below, enter the option that completes the program (Case is ignored. Do not add leading or trailing spaces to your answer).

**Answer:**

---

## Question 7

---



**Question Type: MultipleChoice**

---

Which statement assigns the current date to the character variable CURRDT?

**Options:**

---

A- currdt='&sysdate.';

B- currdt='%sysdate.';

C- currdt='sysdate.';

D- currdt='#sysdate.';

**Answer:**

---

A

## Question 8

---

**Question Type: MultipleChoice**

---

The following SAS program is submitted:

```
%let Av=age;
```

```
%macro LABD(Av=weight);
```

```
%let Av=gend; %mend;
```

```
%LABD(Av=height)
```

```
%put Av is &Av;
```

What will be written to the SAS log?

### Options:

---

**A-** Av is weight

**B-** Av is gend

**C-** Av is height

**D-** Av is age

### Answer:

---

D

## Question 9

---

### Question Type: MultipleChoice

---

This question will ask you to provide a missing option. Given an existing work data set (DM), the following code is submitted:

```
options <insert option here> ;

%MACRO prt(dsn=, version=) ;
  %if &dsn. ^= DIARY %then %do ;
    proc print data = &dsn. ;
      title "Print of WORK.&dsn. data set" ;
      footnote "Version Date: &version." ;
    run ;
  %end ;
%MEND prt ;

%prt(dsn=DM, version=2009-12-08) ;
```

Which OPTION causes the following messages to appear in the LOG file?

```
<option name>(PRT): Beginning execution.
<option name>(PRT): Parameter DSN has value DM
<option name>(PRT): Parameter VERSION has value 2009-12-08
<option name>(PRT): %IF condition &dsn. ^= DIARY is TRUE
<option name>(PRT): Ending execution.
```

### Options:

---

**A-** MPRINT

**B-** SYMBOLGEN

C- MLOGIC

D- MRECALL

**Answer:**

---

C

## Question 10

---

**Question Type: MultipleChoice**

---

Which clause allows macro variable creation on a select statement in PROC SQL?

**Options:**

---

A- INTO

B- SYMPUT

C- AS

D- %MACRO

## Answer:

---

D

## Question 11

---

### Question Type: MultipleChoice

---

A Statistical Analysis Plan defines study day as the number of days between the visit date and the date of randomization plus one day. The following SAS program is submitted using a macro from the project's library:

```
data VS_SD ;
  set VS ;
  label rdt = "Randomization Date" ;
  label vdt = "Visit Date" ;
  VSDY = %studyday(rdt,vdt) ;
run ;
```

How is the STUDYDAY macro defined?

## Options:

---

**A-** %MACRO studyday(rand, visit) ;

&vdt. ?&rdt. + 1

%MEND studyday ;

**B-** %MACRO studyday(rand=, visit=) ;

```
&vdt. ?&rdt. + 1
```

```
%MEND studyday ;
```

```
C- %MACRO studyday(rand, visit) ;
```

```
&visit. ?&rand. + 1
```

```
%MEND studyday ;
```

```
D- %MACRO studyday(visit=, rand=) ;
```

```
&visit. ?&rand. + 1
```

```
%MEND studyday ;
```

**Answer:**

---

C

## Question 12

---

**Question Type: MultipleChoice**

---

This question will ask you to provide a line of missing code. The following SAS program is submitted:

```

libname DB "." access=readonly ;

%macro printlib(lib=WORK,rec=(obs=10)) ;

data _null_ ;
  set sashelp.vstabvw end=final ;
  where libname = "&lib" and memname ^= " " ;
  call symput('dsname' || left(_n_),strip(memname)) ;
  if final then call symput('totaldsn',_n_) ;
run ;

%local i ;
%do i = 1 %to &totaldsn. ;
  proc print data = &lib..&dsname&i. &rec. width=min ;
    title4 "PROC PRINT of &lib..&dsname&i. Data Set" ;
  run ;
%end ;

%mend printlib ;

<insert macro call here>

```

Which macro call prints all records from each dataset in library DB?

### Options:

---

- A- %printlib(lib=DB, rec=all)
- B- %printlib(lib=DB, rec= )
- C- %printlib(DB, all)
- D- %printlib(DB, )

**Answer:**

---

B



**To Get Premium Files for A00-281 Visit**

**<https://www.p2pexams.com/products/a00-281>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/sas/pdf/a00-281>**

