

Free Questions for HPE0-J69 by ebraindumps

Shared by Durham on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

You are designing a new HPE 3PAR StoreServ solution.

Which HPE tool allows editing the Customer Intent Document and adding specific instructions for packing?

Options:

- A- One Config Advanced
- **B-** SAF Collect
- **C-** NinjaSTARS
- D- Storage Sizing Tool

Answer:

Α

Question 2

Question Type: MultipleChoice

You are asked to review an installation plan for a new Primera storage array. The array will go into an existing environment that has been in production for over 4 years. It includes:
C7000s with Gen8 blades
8Gb Brocade switches
a 3PAR 7400
an MSA that is used as a backup target
What should you use to find appropriate installation and planning guides?
Ontions
Options: A- SAF Analyze and Collector
B- Information Library
C- NinjaSTARS
D- SPOCK
Answer:
D

Question 3

Question Type: MultipleChoice

A customer runs their core application on an aging HPE 3PAR StoreServ 20000 Storage array. The application requires 100% availability.

Which HPE storage solution should you recommend?

Options:

- A- Nimble
- **B-** Nimble dHCI
- **C-** Primera
- D- MSA

Answer:

С

Question 4

Question Type: MultipleChoice

You are designing a new storage environment for a customer. They need good performance, but need to keep costs to a minimum.

They have a very limited staff, and staff is concerned about learning new technologies. You plan to recommend a Nimble HF20 solution.

Which storage connectivity components should you recommend?

Options:

- A- FlexFabric switches, Nimble iSCSI card. FC adapters for servers
- B- FC switches, Nimble FC card, FC adapters for servers
- C- Ethernet switches, Nimble iSCSI card, dedicated NICs for servers
- D- Ethernet switches, Nimble FC card, dedicated FC for servers

Answer:

C

Question 5

Question Type: MultipleChoice

A customer purchased a StoreOnce 3620 earlier in the year and has decided to add a 10GBase- adapter to it, which the customer sourced elsewhere and installed themselves. They complain that the new

adapter is not configurable.

What is the most likely reason for this issue?

Options:

- A- The StoreOnce software requires updating
- B- Secure boot must be enabled in the BIOS to securely enable HBAs
- C- The customer failed to install a License to Use (LTU) for it
- D- The StoreOnce needs to connect to InfoSight to validate the adapter authenticity


Answer:

Α

Question 6

Question Type: DragDrop

Match each address with the associated address type.



Options:

- A- View replication policies
- **B-** Find noisy neighbors
- **C-** Locate inactive VMs
- D- Modify administrative privileges
- E- Review backup schedules

<u>Qu</u>	estion 8
uest	on Type: MultipleChoice
You	are installing an HPE 3PAR StoreServ solution and need to integrate the array with the 3rd party monitoring application customer ig.
Whi	ch technology can be configured at 3PAR to support forwarding events from the array to the customer's monitoring application?
Op	ions:
A-I	PMI
B- N	ITP
C- S	SNMPv3
D- [DMI
	swer:

To Get Premium Files for HPE0-J69 Visit

https://www.p2pexams.com/products/hpe0-j69

For More Free Questions Visit

https://www.p2pexams.com/hp/pdf/hpe0-j69

