



Free Questions for *NS0-527* by *ebraindumps*

Shared by *Chang* on *15-04-2024*

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Your customer needs to activate a destination SVM DR following a disaster.

In this situation, which two actions should be performed? (Choose two.)

Options:

- A- Shut down the source cluster.
- B- From the destination cluster, break the SVM DR relationship.
- C- From the source cluster, break the SVM DR relationship.
- D- Start the destination SVM.

Answer:

A, D

Question 2

Question Type: MultipleChoice

A customer wants to set up SNMP to monitor their ONTAP platforms. Because of security reasons, they need strong authentication and data encryption?

In this scenario, which SNMP version satisfies these requirements?

Options:

A- v1

B- v3

C- v2

D- v2c

Answer:

B

Question 3

Question Type: MultipleChoice

You are monitoring data protection relationships of type XDR using OnCommand System Manager running ONTAP 9.5. In the GUI, you click Protection -> Volume Relationships.

In this scenario, which status in the Relationship State field must be displayed to ensure that the relationships are working as expected?

Options:

- A- SnapMirrored
- B- Uninitialized
- C- InSync
- D- Quiesced

Answer:

C

Question 4

Question Type: MultipleChoice

A customer is using SnapCenter and they want to see details about: 1.) unprotected databases outside of resource groups, 2.) databases that have not been backed up during the report period, 3.) databases that belong to a resource group for which backups have failed, and 4.) the database SnapVault status.

In this scenario, which report type satisfies the requirements?

Options:

- A- Backup Report
- B- Clone Report
- C- Plug-in Report
- D- Restore Report

Answer:

C

Question 5

Question Type: MultipleChoice

You want to determine the amount of cold data that can be tiered from a FabricPool-enabled aggregate.

In this scenario, which feature satisfies this requirement?

Options:

- A- Inactive Data Reporting
- B- Information Lifecycle Management
- C- Object Store Profiler
- D- Auto Balance

Answer:

A

Explanation:

First available in ONTAP 9.4, inactive data reporting (IDR) is an excellent tool for determining the amount of inactive (cold) data that can be tiered from an aggregate. IDR is enabled by default on FabricPool aggregates. More important, you can enable it on non-FabricPool aggregates by using the ONTAP CLI, to get visibility on how much you can gain by deploying FabricPool.

Question 6

Question Type: MultipleChoice

An administrator wants to use SnapCenter 4.2 to back up and restore both their VMware Horizon environment and Microsoft SQL attached database.

In this scenario, which service account role should be configured to accomplish this task?

Options:

- A- sysadmin
- B- operator
- C- backup
- D- administrator

Answer:

A

Question 7

Question Type: MultipleChoice

A customer has application data corruption on a LUN that is in a volume with six other data LUNs. The customer needs to restore the corrupted LUN from a Snapshot copy without affecting the other six LUNs.

Which process would accomplish this task?

Options:

- A- Use volume SnapRestore.
- B- Use LUN mapping.
- C- Use the volume Snapshot partial-restore file.
- D- Use a single-file restore.

Answer:

D

Explanation:

<https://library.netapp.com/ecmdocs/ECMP1196784/html/GUID-17286F40-08CA-4EB0-8788-3F3F70D185C4.html>

Question 8

Question Type: MultipleChoice

Click the Exhibit button.

The screenshot shows the OnCommand Unified Manager interface for Protection / Volume Relationships. The page title is "Protection / Volume Relationships" with a help icon. Below the title is a "View:" dropdown menu set to "All Volume Relationships". A toolbar contains several action buttons: Extend Protection, Edit, About, Quisce, Break, Remove, Resume, Resynchronize, and Initialize/Update. The main content is a table with columns: Lag Status, Source Volume, Destination Volume, Lag Duration, Schedule, and Transfer St... (Transfer Status). The first row, representing the 'finance' source volume, is highlighted in blue and has a red warning icon in the Lag Status column. The other rows represent various datastores and their mirrors, all with green checkmarks in the Lag Status column. At the bottom, it says "Rows Selected: 1".

<input type="checkbox"/>	Lag Status	Source Volume	Destination Volume	Lag Duration	Schedule	Transfer St...
<input checked="" type="checkbox"/>	⚠	finance	swm4_finance_mirror	183 Weeks 6 Days		Idle
<input type="checkbox"/>	✓	busapps_datastore	svm5_busapps_datast...	44 Minutes 38 Seconds	hourly	Idle
<input type="checkbox"/>	✓	sales_east	svm8_sales_east_mirror	44 Minutes 38 Seconds	hourly	Idle
<input type="checkbox"/>	✓	support	svm8_support_mirror1	44 Minutes 38 Seconds	hourly	Idle
<input type="checkbox"/>	✓	mgmt_datastore	svm1_mgmt_datastor...	41 Minutes 49 Seconds	hourly	Idle
<input type="checkbox"/>	✓	vdi_datastore	svm1_vdi_datastore_...	41 Minutes 49 Seconds	hourly	Idle
<input type="checkbox"/>	✓	sales_west	svm4_sales_west_mir...	41 Minutes 49 Seconds	hourly	Idle

You have been receiving the lag status error notifications shown in the exhibit.

What must you do to correct this problem?

Options:

- A- Resynchronize the relationship.
- B- Add a schedule to the relationship.
- C- Fan out the relationship.
- D- Quiesce the relationship.

Answer:

A

Question 9

Question Type: MultipleChoice

Which two cloud providers allow you to provision Cloud Volumes ONTAP as a SnapMirror destination? (Choose two.)

Options:

A- Azure

B- DigitalOcean

C- AWS

D- RackSpace

Answer:

A, C

To Get Premium Files for NS0-527 Visit

<https://www.p2pexams.com/products/ns0-527>

For More Free Questions Visit

<https://www.p2pexams.com/netapp/pdf/ns0-527>

