



Free Questions for 1Z0-1114-23

Shared by Talley on 22-07-2024

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)



Question 1

Question Type: MultipleChoice

You are designing the UI to display information about a product and are asked to use the card layout, such that:

- * The card layout summarizes the available information about a product in a visually compact manner.
- * The card layout is used as an entry point from where users can access additional details.

Which card layout is suitable for the above requirements?

Options:

- A- Object Card
- B- Mini Card
- C- mage Card
- D- Scoreboard

Answer:

A

Explanation:

The Object Card layout is suitable for displaying information about a product and using it as an entry point from where users can access additional details. The Object Card layout consists of a header with an icon and a title, a body with one or more fields or actions, and a footer with optional actions or indicators. The Object Card layout summarizes the available information about a product in a visually compact manner and allows users to perform actions on it or navigate to more details. Therefore, option A is the correct answer. Reference: [Object Card Layout], [oj-sp-object-card]

Question 2

Question Type: MultipleChoice

While using the Simple Create and Edit Page Template Pattern, which dynamic component can be used in the "main" slot?

Options:

- A- Dynamic Form
- B- Dynamic Container
- C- Dynamic Table
- D- Dynamic Section Binding
- E- Dynamic Field Binding

Answer:

A



Explanation:

The dynamic component that can be used in the "main" slot of the Simple Create and Edit Page Template Pattern is Dynamic Form. This component allows you to create forms that are bound to data sources and can be configured as create or edit forms. You can use Dynamic Form to display and edit fields from your data source in a simple and consistent way.

Question 3

Question Type: MultipleChoice

How many instances of Oracle Visual Builder Studio are provisioned with your Oracle Fusion Cloud Applications Tenancy?

Options:

- A- Multiple - for each DEV instance in your tenancy
- B- None - you need to provision one manually
- C- One - mapped to your production Fusion Apps instance
- D- One - mapped to a TEST instance of Fusion Apps in your tenancy

Answer:

C



Explanation:

When you subscribe to Oracle Fusion Cloud Applications, you get one instance of Oracle Visual Builder Studio provisioned with your Oracle Fusion Cloud Applications Tenancy. This instance is mapped to your production Fusion Apps instance and allows you to create and deploy extensions for your Fusion Apps pages. You can also use this instance to access other instances of Fusion Apps in your tenancy by creating sandboxes for them .

Question 4

Question Type: MultipleChoice

Which is the correct sequence of steps in the Design process?

Options:

- A- Articulate the vision, understand the problem, identify the Redwood Page templates to use. add the detail and refine the design, specify the design for development, and monitor engagement in the real world
- B- Understand the statement, articulate the problem, identify the Redwood Page templates to use. add the detail and refine the design, specify the design for development, and monitor engagement in the real world
- C- Articulate the vision, identify the Redwood Page templates, understand the problem, add the detail and refine the design, specify the design for development, and monitor engagement in the real world
- D- Understand the problem, articulate the vision, identify the Redwood Page templates to use. add the detail and refine the design, specify the design for development, and monitor engagement in the real world

Answer:

D

Explanation:

The correct sequence of steps in the Design process is:

Understand the problem

Articulate the vision

Identify the Redwood Page templates to use

Add the detail and refine the design

Specify the design for development

Monitor engagement in the real world

This is the recommended process for designing with Redwood, as it helps you to create user interfaces that are aligned with your vision, goals, and requirements. It also helps you to leverage the Redwood design system, templates, patterns, and components to ensure consistency, usability, and accessibility.

Question 5

Question Type: MultipleChoice

You receive a request to create a new page for Fusion users to enable them to see data about orders stored in Fusion Cloud Apps.

How will you fulfill this request?

Options:

- A- This is not possible, without SQL access to the Fusion database.
- B- Spin up an instance of WebLogic and deploy a Visual Builder app on top of it.
- C- Spin up a new instance of Visual Builder and deploy a stand-alone app.
- D- This can be achieved with VB Studio in Fusion Apps.

Answer:

D

Explanation:

The best option to fulfill this request is to use VB Studio in Fusion Apps. This is a feature of Visual Builder Studio that allows you to create AppUI extensions for Fusion Apps pages. You can use the same development platform that Oracle Cloud Applications are built on, leveraging the Redwood design system, templates, patterns, and components. You can also access data from Fusion Apps using the service catalog and deploy your extensions directly to your Fusion Apps instance.

Question 6

Question Type: MultipleChoice

Jane created an AppUI extension in a workspace. She wants Troy to test it before she pushes it to Git.

How can she achieve this?

Options:

- A- By creating a shared workspace with Troy.
- B- By clicking the Publish button in her workspace.
- C- By choosing the Share option from the menu.
- D- By pushing the changes to a shared branch before pushing it to Git.

Answer:

C

Explanation:

This question tests your knowledge of how to share your AppUI extension in Visual Builder Studio with another developer for testing purposes. The correct answer is C, because you can choose the Share option from the menu in your workspace editor to generate a URL that you can send to another developer who can access your extension in read-only mode. The other options are incorrect, because they are not the best ways to share your extension for testing purposes. Here is why:

Option A is incorrect, because creating a shared workspace with another developer would allow them to edit your extension as well as view it, which might not be what you want.

Option B is incorrect, because clicking the Publish button in your workspace would push your changes to Git and also start a merge request, which might not be what you want if you are not ready to merge your changes yet.

Option D is incorrect, because pushing your changes to a shared branch before pushing it to Git would require you to create another branch and also ask the other developer to switch to that branch in their workspace, which might be more complicated than simply sharing your URL.

Question 7

Question Type: MultipleChoice

The Data Grid page pattern allows for complex data collections in pages. It uses the data management page template, which encapsulates the Advanced Collection Container component, a Data Grid component, and optional drawers in case you need extended options to review information or include transactional subflows related to the Data Grid.

What are the two available positions for drawers in the Data Grid pattern? (Choose two.)

Options:

- A- Start position
- B- End position
- C- Top position
- D- Bottom position

Answer:

A, B

Explanation:

The two available positions for drawers in the Data Grid pattern are start position and end position. These are the positions where the drawers can slide out from when triggered by an action on the Data Grid. The start position is on the left side of the Data Grid, while the end position is on the right side of the Data Grid.

Question 8

Question Type: MultipleChoice

By design, dialog messages interrupt the user and force them to make a decision.

Which three dialog message components are available in Redwood? (Choose three.)

Options:

- A- oj-sp-message-dialog-destructive

- B- oj-sp-messages-banner
- C- oj-sp-message-dialog-general
- D- oj-sp-smart-search-page
- E- oj-sp-message-unsaved-changes
- F- oj-sp-message-banner-unsaved-changes

Answer:

A, C, E

Explanation:

This question tests your knowledge of the dialog message components that are available in Redwood, which are used to interrupt the user and force them to make a decision. The correct answer is A, C, and E, because these are the three dialog message components that are available in Redwood. The other options are incorrect, because they are not dialog message components, but banner message components or page templates that can be used in different contexts. Here is a brief description of each dialog message component:

oj-sp-message-dialog-destructive: This component is used to display a dialog message that warns the user about an irreversible action that will delete or destroy data. It has a red header with an icon and a title, a body with a message and an optional description, and two buttons for canceling or confirming the action.

oj-sp-message-dialog-general: This component is used to display a dialog message that informs the user about an action that requires their confirmation or input. It has a blue header with an icon and a title, a body with a message and an optional description or input field, and one or more buttons for canceling or completing the action.

oj-sp-message-unsaved-changes: This component is used to display a dialog message that alerts the user about unsaved changes that will be lost if they navigate away from the current page. It has a yellow header with an icon and a title, a body with a message and an optional description, and two buttons for discarding or saving the changes.

Question 9

Question Type: MultipleChoice

The Redwood template your page is based on has a primary action button.

How do you control what it does?

Options:

- A- Create an action chain mapped to the template's primary action event, at the template level.
- B- You cannot. The functionality is determined by the original template.
- C- Remove the existing button from the template and add your own.
- D- Create an onAction action chain on that button.

Answer:

A

Explanation:

The primary action button is a UI component that represents the main action that the user can perform on a page. It is usually located at the top right corner of the page and has a prominent color and style. The primary action button is defined by the Redwood template that your page is based on, and its functionality is determined by an action chain mapped to the template's primary action event at the template level. You can create or modify this action chain to control what the primary action button does on your page .

Question 10

Question Type: MultipleChoice

Jim has been working on some changes in a workspace but the project manager wants Tammy to continue the work Jim did.

How can they achieve this?

Options:

- A- Jim can change ownership of the existing workspace.
- B- Jim needs to first commit and push his changes to the central Git branch for Tammy to create a new workspace.
- C- Tammy can create a new workspace based on Jim's workspace.

Answer:

C

Explanation:

The best way to achieve this is to have Tammy create a new workspace based on Jim's workspace. A workspace is a private copy of the code that you can work on without affecting other developers. You can create a new workspace from an existing one by selecting the option "Create Workspace From" in Visual Builder Studio. This will copy all the changes from the source workspace to the new one, allowing Tammy to continue the work Jim did.

Question 11

Question Type: MultipleChoice

What is the function of the Publish button in the Visual Builder Studio workspace editor?

Options:

- A- To deploy a test version of your AgpUI extension
- B- To push changes to Git, and also start a merge request
- C- To deploy the sandbox that your AgpUI extension is associated with
- D- To start the CI/CD package and deploy pipeline for the current extension

Answer:

B

Explanation:

The Publish button in the Visual Builder Studio workspace editor allows you to push your changes to the Git repository and also start a merge request. A merge request is a way of proposing changes from one branch to another branch in Git. It helps you to review and collaborate on your code before merging it into the main branch .

Question 12

Question Type: MultipleChoice

Which page template is NOT a transactional page template?

Options:

- A- Gantt page template
- B- Foldout layout page template
- C- Guided process page template
- D- Advanced create and edit page template

Answer:

B

Explanation:

A transactional page template is a type of page template that supports creating, updating, or deleting data in Fusion Cloud Apps. It usually consists of a form or a table with input fields, buttons, and validations. Some examples of transactional page templates are Gantt page template, Guided process page template, and Advanced create and edit page template. A foldout layout page template is not a transactional page template because it does not support data manipulation. It is a type of page template that displays information in a collapsible panel on the side of the page.



To Get Premium Files for 1Z0-1114-23 Visit

<https://www.p2pexams.com/products/1z0-1114-23>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-1114-23>

20%
DISCOUNT

P2P
exams