Free Questions for B2C-Commerce-Architect by ebraindumps

Shared by Gallegos on 18-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

During the monitoring tasks you realize that a third party integration with your storefront is logging sensitive dat

a. What can we do to avoid saving this information to the system logs?

Options:

A) Add a new log category for this service with level greater than the sensitive data is added to avoid logging.

B) ImplementfilterLogMessagemethod for theServiceCallbackto filter response log messages.

C) Implement filterResponseLogMessage method for the ServiceCallback to filter response log messages.

D) ImplementgetRequestLogMessagemethod for theServiceCallbackand remove sensitive data.

Answer:

B

Question 2

Question Type: MultipleChoice

You're in charge of identifying a bottleneck in the network chain. Given this Google Dev Tools screenshot of a particular request in the product listing page. What may be the root cause?

Options:

A) Everything works as expected. All parameters are within pre-established limits.

B) Probably the issue is on the server side and needs further investigation from a code perspective.

C) Internet connection intermittently drops out.

D) Good indication of a local network or browser issue.

Answer:

B

Question 3

Question Type: **MultipleChoice**

To properly configure your service connection to Salesforce Marketing Cloud your receive this configuration:

After making a call to this service you receive aServiceUnavailableException. What could be the reason?

Options:

A) Rate Limit is reached.

B) Commerce Cloud IP not whitelisted on Marketing Cloud.

C) Circuit Breaker is enabled on the service profile and max circuit breaker calls are reached in the allowed time interval.

D) Force PRD Behavior in Non-PRD Environments option in the service configuration is checked.

E) Service mode is Mocked.

Answer:

A, C

Question 4

Question Type: MultipleChoice

To integrate a new payment method with your storefront the 3rd party provider shares with you the endpoints, protocols and needed credentials. After reading all documentation received you realize that they work under SOAP 1.1 protocol. Under which folder in your cartridge structure you should place the needed files?

Options:

A) /services

B) /webreferences2

C) /webreferences

D) /scripts/soap

Answer:

C

Question 5

Question Type: MultipleChoice

New client is going to migrate to the Salesforce Commerce Cloud. Website is ready to be live but just is missing the customers and previous orders. What should we do?

Options:

A) Send a ticket to Salesforce to publish the new site and import later missing data.

B) There are no blockers. If everything else is working, the site can go live.

C) Import at least orders before going live.

D) Change Site status from password protected to live and import missing data when ready.

Answer:

C

Question 6

Question Type: MultipleChoice

During the discovery phase as an architect you should make some recommendations to be sure all requirements will fit under SFCC scope. The project consists in building one storefront using SFRA and a native iOS app. The home page will be fully implemented using Page Designer in order to allow merchandisers to fully customize it. What should be taken into consideration?

Options:

A) Page designer load times are bigger than if using content slots.

B) All answers are correct.

C) Replication and reindexing process works differently with page designer vs content assets, so home page for mobile application may be different than website for 15 minutes.

D) Page Designer doesn't support using the OCAPI SHOP and DATA resources to access pages and components as content assets.

Answer:

D

Question 7

Question Type: **MultipleChoice**

Which standards allowdw.ws.WebReference2class?

Options:

A) WSDL 1.1

B) RPC/Encoded WSDLs

C) SOAP 1.1 and SOAP 1.2

D) Apache CXF

E) https 1.0 and 1.1

Answer:

A, C, D, E

Question 8

Question Type: **MultipleChoice**

Due to an integration issue, logs files are full. Because of that no new logs have been logged. Given this Business Manager logging configuration how would you solve the issue your client is experimenting in their site?

Options:

A) Change root log level to error.

B) Change integration log level to error.

C) Remove integration log level.

D) Disable integration log level by putting log level to OFF.

E) Remove all log levels and activate them again when the issue is solved.

Answer:

D

Question 9

Question Type: **MultipleChoice**

During the discovery phase the client tells you that certain categories for the storefront will need dynamic categorization. What is the best approach to list under "New products" category the products that have been online less than 30 days in the website.

Options:

A) None of these options are valid because this may not scale if used widely in a large catalog even though caching may prevent the storefront from hitting the search engine too hard.

B) Create a new Search Refinement for "New products". To display products accordingproducts.activeData.daysAvailable

C) None of these options are valid even though they scale in large catalogs. Dynamic categorization is not available OOTB in Salesforce Commerce Cloud.

D) Create a new sorting rule withproducts.activeData.daysAvailablefor "New products" category.

Answer:

C

Question 10

Question Type: MultipleChoice

In Reports and Dashboards tools you find some requests with a very poor cache hit ratio (less than 20%). What can you do in order to increase cache hit ratio and improve website performance? Here a few examples of triggered URL:

Options:

A) Use URL hashes for parameter campaign

B) New cache partition

C) Create custom cache for this request.

D) Always use the same URL parameter order

Answer:

A, D

Question 11

Question Type: MultipleChoice

Cross-site scripting (XSS) lets attackers inject client-side JavaScripts into a web page viewed by a targeted user. Which encoding will you use in the<isprint>tag to avoid cross site scripting:

<script type='text/javascript'> var data = '<isprint encoding='' value='${unsafeData} '/>'; </script>

Options:

A) jsblock

B) jsattribute

C) htmlunquote

D) jshtml

Answer:

A

To Get Premium Files for B2C-Commerce-Architect Visit

https://www.p2pexams.com/products/b2c-commerce-architect

For More Free Questions Visit

https://www.p2pexams.com/salesforce/pdf/b2c-commerce-architect