



Free Questions for SK0-005 by ebraindumps

Shared by Dixon on 30-08-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

A server technician has been asked to upload a few files from the internal web server to the internal FTP server. The technician logs in to the web server using PuTTY, but the connection to the FTP server fails. However, the FTP connection from the technician's workstation is successful. To troubleshoot the issue, the technician executes the following command on both the web server and the workstation:

The IP address in the command output is different on each machine. Which of the following is the MOST likely reason for the connection failure?

Options:

- A) A misconfigured firewall
- B) A misconfigured hosts.deny file
- C) A misconfigured hosts file
- D) A misconfigured hosts.allow file

Answer:

D

Question 2

Question Type: MultipleChoice

A server administrator is exporting Windows system files before patching and saving them to the following location:

Which of the following is a storage protocol that the administrator is MOST likely using to save this data?

Options:

- A) eSATA
- B) FCoE
- C) CIFS
- D) SAS

Answer:

C

Question 3

Question Type: MultipleChoice

A server administrator is exporting Windows system files before patching and saving them to the following location:

Which of the following is a storage protocol that the administrator is MOST likely using to save this data?

Options:

A) eSATA

B) FCoE

C) CIFS

D) SAS

Answer:

C

Question 4

Question Type: MultipleChoice

A server technician has been asked to upload a few files from the internal web server to the internal FTP server. The technician logs in to the web server using PuTTY, but the connection to the FTP server fails. However, the FTP connection from the technician's

workstation is successful. To troubleshoot the issue, the technician executes the following command on both the web server and the workstation:

The IP address in the command output is different on each machine. Which of the following is the MOST likely reason for the connection failure?

Options:

- A) A misconfigured firewall
- B) A misconfigured hosts.deny file
- C) A misconfigured hosts file
- D) A misconfigured hosts.allow file

Answer:

D

To Get Premium Files for SK0-005 Visit

<https://www.p2pexams.com/products/sk0-005>

For More Free Questions Visit

<https://www.p2pexams.com/comptia/pdf/sk0-005>

