

Free Questions for 201 by certsinside

Shared by Bond on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question Type: MultipleChoice

A virtual server is listening at 10.10.1.100:80 and has the following iRule associated with it:

when HTTP_REQUEST { if { [HTTP::header UserAgent] contains "MSIE" }

{ pool MSIE_pool }

else { pool Mozilla_pool }

If a user connects to http://10.10.1.100/foo.html and their browser does not specify a UserAgent, which pool will receive the request?

Options:

A- MSIE_pool

B- Mozilla_pool

C- None. The request will be dropped.

D- Unknown. The pool cannot be determined from the information provided.

Answer:

В

Question Type: MultipleChoice

A site has assigned the ICMP monitor to all nodes and a custom monitor, based on the HTTP template, to a pool of web servers. The HTTP based monitor is working in all cases. The ICMP monitor is failing for 2 of the pool member 5 nodes.

All other settings are default. What is the status of the monitor is working in all cases?

Options:

- A- All pool members are up since the HTTPbased monitor is successful.
- B- All pool members are down since the ICMPbased monitor is failing in some cases.
- C- The pool members whose nodes are failing the ICMPbased monitor will be marked disabled.
- D- The pool members whose nodes are failing the ICMPbased monitor will be marked unavailable.

Answer:

Question Type: MultipleChoice

Monitors can be assigned to which three resources? (Choose three.)

Options:		
A- NATs		
B- pools		
C- iRules		
D- nodes		
E- SNATs		
F- pool members		
G- virtual servers		
Answer:		

B, D, F

Question Type: MultipleChoice

A standard virtual server has been associated with a pool with multiple members. Assuming all other settings are left at their defaults, which statement is always true concerning traffic processed by the virtual server?

Options:

A- The client IP address is unchanged between the client side connection and the serverside connection.

B- The server IP address is unchanged between the client side connection and the serverside connection.

- **C-** The TCP ports used in the client side connection are the same as the TCP ports serverside connection.
- **D-** The IP addresses used in the clientside connection are the same as the IP addresses used in the serverside connection.

Answer:

А

Question 5

Question Type: MultipleChoice

When initially configuring the BIG-IP system using the config utility, which two parameters can be set? (Choose two.)

Options:

- A- the netmask of the SCCP
- B- the IP address of the SCCP
- C- the port lockdown settings for the SCCP
- **D-** the netmask of the host via the management port
- E- the IP address of the host via the management port
- F- the port lockdown settings for the host via the management port

Answer:

D, E

Question 6

Question Type: MultipleChoice

Which must be sent to the license server to generate a new license?

Options:

A- the system's dossier

- B- the system's host name
- C- the system's base license
- **D-** the system's purchase order number

Answer:

А

Question 7

Question Type: MultipleChoice

How is MAC masquerading configured?

Options:

- A- Specify the desired MAC address for each VLAN for which you want this feature enabled.
- B- Specify the desired MAC address for each selfIP address for which you want this feature enabled.
- C- Specify the desired MAC address for each VLAN on the active system and synchronize the systems.
- D- Specify the desired MAC address for each floating selfIP address for which you want this feature enabled.

Answer:

To Get Premium Files for 201 Visit

https://www.p2pexams.com/products/201

For More Free Questions Visit

https://www.p2pexams.com/f5-networks/pdf/201

