Genesys GE0-703 GCP Practice Questions

Shared by Marshall on 26-10-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

The Voice Application Reporter (VAR) requires _____.

Options:

A- A client installed on the VCS
B- An application to reside on the VAR Server
C- A Microsoft SQL Server
D- An abandoned threshold to be set up in the Application Profile in the EMPS

Answer:

C

Question 2

Question Type: MultipleChoice

The purpose of the Media Gateway is to _____.

Options:

A- Process VoiceXML pages
B- Process ASP pages
C- Process TDM calls
D- Perform the conversion between TDM voice to Voice over Internet Protocol (VoIP) and back again

Answer:

D

Question 3

Question Type: MultipleChoice

How do you enable the generation of VAR application level call events using application built with Genesys Studio? Assume that VAR client is already installed and that Studio has report blocks in the application.

Options:

A- Reporting is enabled by default, therefore no configuration is required. Application need only contain a START and STOP block.
B- To enable reporting, select Configure Reporting and complete set VAR parameters and variables using the Reporting Wizard
C- To enable reporting, the application ensure that a Sub CallFlow block is used within the application.
D- To enable reporting, the application ensure that a Statistics block is used within the application.

Answer:

B

Question 4

Question Type: MultipleChoice

Which of the following content should be considered for caching?

Options:

A- Active Server Pages
B- Vox files
C- Java Server Pages
D- Java Beans

Answer:

B

Question 5

Question Type: MultipleChoice

Based on the Popgateway1.log shown, what is the logging level?

```
[2004/03/26 07:41:42.796] 8E8  IPageCollectorProxy.h:41 C=22:L=8:U=98
getPage:  http://10.10.10.76:8182/ VXMLStudioSimulation/PROMPT1.jsp]
```

Options:

A- Debug
B- Error
C- Warning
D- Custom

Answer:

A

Question 6

Question Type: MultipleChoice

Refer to the CTI Property tab in the Provisioning IVR profile section in the EMPS. The Default Route Number is used when _____.

Options:

A- IVR Server is unable to contact the Solution Control Interface (SCI)
B- IVR Server is unable to contact the Universal Routing Server (URS), or when the URS is unable to find an agent number to which it can route the call
C- IVR component, specifically Genesys Queue Adapter (GQA), cannot communicate with SCS.
D- IVR Server component cannot communicate with the Web Server

Answer:

B

Question 7

Question Type: MultipleChoice

Which GVP software component is used to configure the various components of GVP including application provisioning?

Options:

A- Element Management Provisioning System
B- IP Call Manager
C- Voice Application Reporter
D- Genesys Studio

Answer:

A

P2P exams

P2P exams

To Get Premium Files for GE0-703 Visit

https://www.p2pexams.com/products/ge0-703

For More Free Questions Visit

https://www.p2pexams.com/genesys/pdf/ge0-703

