

Free Questions for 350-901 by go4braindumps

Shared by Mccormick on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Refer to the exhibit.

```
[[source]]
url = "https://pypi.python.org/simple"
verify_ssl = true

[dev-packages]
requests = "+"
dnacentersdk = "+"

[packages]
pyyaml = "5.3.1"
```

Which type of python dependency file is shown?

- A- setup.py
- **B-** TOML
- **C-** packages
- **D-** requirements.txt

Answer:	
В	
Question 2	
Question Type: MultipleChoice	
	cement for an application feature and has made changes to a branch called 'devcor-432436127a-h to production, conflicts occurred. Which Git command must the developer use to recreate the pre-
Options:	
A- git merge -no-edit	
B- git merge -abort	
C- git merge -revert	

		4 .	
LVE	NOR	NOTION	١.
	1141	MICH	
	,,,,,	IGUI	
	JIGI	nation	

This command will recreate the pre-merge state, reverting any changes made to the branch before the merge.


Question 3

Question Type: MultipleChoice

An engineer needs to automate the configuration on a Cisco NX-OS switch. The solution must meet these requirements:

- * Ansible is used
- * The transport protocol is encrypted
- * Support for Asynchronous requests.

Which two access mechanisms must be used? (Choose two.)



- C- Personal data that was collected before the compliance standards were set do not need to be protected
- D- Compliance standards appry to organizations that have a physical presence in Europe

Α

Question 5

Question Type: MultipleChoice

A developer has created a local Docker alpine image that has the image ID 'dockapp432195596ffr' and tagged as 'new'. Which command creates a running container based on the tagged image, with the container port 80 bound to port 8080 on the host?

- A- docker build -p 8080:80 alpine new
- B- docker exec -p 808080 alpine new
- C- docker start -p 808080 alpine new
- D- docker run -p 8080.80 alpine.now

Λ	n	C	A	/e	F =
_		-	v		

D

Explanation:

This command will create a running container based on the specified image and will bind the container port 80 to port 8080 on the host.

Question 6

Question Type: MultipleChoice

Refer to the exhibit.

```
import requests, json
from flask import Flask, request

app = Flask(__name__)

db_connection = psycopg2.connect()

Rapp.route('/message', methods=["GET"])
def message():

messages = []
with connection.cursor() as cursor:
    query = 'SELECT * FROM messages WHERE status = UNREAD'
    cursor.execute(query)
    messages = cursor.fetchall()
return json.dumps(messages)

if __name__ == '__main__':
    app.run(debug=True)
```

Refer to the exhibit. A Python API server has been deployed. Based on metrics and logs, increased load has been noticed. Which two approaches must be taken to optimize API usage on the server? (Choose two.)


- A- Include the ETag header in the API response
- B- Include the Last-Modified header in the API response.
- **C-** Change the query to be more efficient.
- D- Include the Content-Type header in the API response.
- E- Leverage middleware caching and respond with HTTP code 204 in the API response.

A, E

Question 7

Question Type: MultipleChoice

Refer to the exhibit.



The virtual next-generation firewalls running in the public cloud must be scaled out to meet the throughput requirements of the application layer. Which component is deployed to location A in the diagram?

()	nı	17	٦n	C.
V	P		711	s:

- A- frontend caching server
- **B-** forward proxy
- C- backend database
- D- internal load balancer

D

To Get Premium Files for 350-901 Visit

https://www.p2pexams.com/products/350-901

For More Free Questions Visit

https://www.p2pexams.com/cisco/pdf/350-901

