



**Free Questions for ANVE by go4braindumps**

**Shared by Booker on 12-12-2023**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

**Question Type:** MultipleChoice

---

To make use of IEEE 802.1 X when connecting a camera to the network, you need (Choose two)

## Options:

---

- A- An Ethernet switch with support for IEEE 802.1X.
- B- A router.
- C- A RADIUS server.
- D- Category 6 or Category 5e Ethernet cabling.
- E- A server with a Gigabit Ethernet network card.

## Answer:

---

A, C

# Question 2

---

**Question Type:** MultipleChoice

---

Which of the following statements about multicast video streaming are true? (Choose three)

**Options:**

---

- A- Multicast can help to save bandwidth in a network
- B- Multicast can typically not be used to provide video over internet
- C- Multicast uses TCP as transport protocol
- D- Multicast extends the viewer capacity of a camera or an encoder from 10-20 to an unlimited number
- E- RTSP streams are always sent through multicast

**Answer:**

---

A, B, D

## Question 3

---

**Question Type:** MultipleChoice

---

When installing a camera outdoors to an existing pole, what is the most important consideration?

**Options:**

---

- A- Availability of power
- B- The material of the housing
- C- The camera has to be ruggedized
- D- Wide dynamic range

**Answer:**

---

A

## Question 4

---

**Question Type: MultipleChoice**

---

The ONVIF standard gives the end user benefits such as (Choose two)

**Options:**

---

- A- Reduction of storage and network usage.

- B-** Improving the performance of the system.
- C-** Guarantees higher performance.
- D-** Future proof systems and more secure investments.
- E-** Increased flexibility and greater freedom of choice.

**Answer:**

---

D, E

## Question 5

---

**Question Type:** MultipleChoice

---

A camera can deliver up to two full resolution 30 fps H.264 streams. The customer wants to have four H.264 streams from the same camera

a. What will be the resulting impact?

**Options:**

---

**A-** The camera will lower the resolution

- B-** The camera will lower the compression
- C-** The camera will lower the frame rate
- D-** The camera will lower the Group of Video (GOV) length

**Answer:**

---

C

## Question 6

---

**Question Type:** MultipleChoice

---

If an installer wants to configure 20 cameras to show the same synchronized date and time in Live View, how can this be achieved?

**Options:**

---

- A-** Adapt the date and time from a client computer when using the camera configuration tool
- B-** Synchronize the date and time with a remote FTP server by downloading files from the server
- C-** Synchronize the date and time with a remote NTP server
- D-** Fetch the date and time from the installed root certificate

**Answer:**

---

C

## Question 7

---

**Question Type:** MultipleChoice

---

For which purposes would a thermal network camera be a viable alternative to a standard network camera? (Choose three)

**Options:**

---

- A- Identification of a person
- B- Detection at daylight
- C- Detection at night
- D- Detection in smoke and light fog conditions
- E- License Plate Recognition

**Answer:**

---

B, C, D

## Question 8

---

**Question Type:** MultipleChoice

---

Ghost image is when

### Options:

---

- A- The lens is using too high f-stop value.
- B- The shutter time is too long.
- C- The gain is too high.
- D- The frame rate is too low.

### Answer:

---

B

## Question 9

---

**Question Type:** MultipleChoice

---



Which one of the following camera parameters may become a limiting factor for the camera in delivering full frame rate?

**Options:**

---

- A- Noise reduction
- B- Exposure time
- C- Flicker-free mode
- D- Aspect ratio 16:9

**Answer:**

---

B

**To Get Premium Files for ANVE Visit**

**<https://www.p2pexams.com/products/anve>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/axis/pdf/anve>**

