



Free Questions for [BCBA](#) by [go4braindumps](#)

Shared by [Lynn](#) on [20-10-2022](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

A child with food refusal behaviors accepts one bite out of the ten bites that her caregiver offered. What measure should be used to record this behavior?

Options:

- A- duration
- B- latency
- C- percent of occurrence
- D- trials to criterion

Answer:

C

Question 2

Question Type: MultipleChoice

A parent reports that her 2-year-old daughter uses a number of stalling techniques to avoid bedtime once she is told to go to bed. What would be a good progress measure for going to bed when told?

Options:

A- frequency

B- inter-response time

C- latency

D- compliance

Answer:

C

Question 3

Question Type: MultipleChoice

During three 30-minute observations, Linda gouged her eye 8, 17, and 12 times, respectively. Each incident lasted between 1 and 3 seconds, with an average duration of 1.3 seconds. Which is the BEST dimension to continue to measure?

Options:

A- duration

B- inter-response time

C- latency

D- rate

Answer:

D

Question 4

Question Type: MultipleChoice

During the hour immediately following meals, Bill asks for more food. Data are collected only during this hour after each meal. Which method of data collection would be MOST accurate?

Options:

A- duration recording

- B- frequency recording
- C- narrative recording
- D- partial-interval recording

Answer:

B

Question 5

Question Type: MultipleChoice

Experimental control is demonstrated in a changing criterion design by a change in behavior:

Options:

- A- across settings.
- B- across individuals.
- C- when returning to baseline.
- D- to meet predetermined levels.

Answer:

D

Question 6

Question Type: MultipleChoice

The use of an alternating treatments design should be considered if:

Options:

- A-** it is important that multiple interventions be evaluated quickly.
- B-** one needs to evaluate the effects of a single intervention across multiple settings.
- C-** the results of multiple reversal designs are ambiguous.
- D-** there is the possibility that the effect of one intervention will influence the effect of another.

Answer:

A

Question 7

Question Type: MultipleChoice

In order to promote generalization in intensive teaching, the behavior analyst should

Options:

- A- teach loosely.
- B- use the same SD
- C- use few exemplars.
- D- teach in the same environment.

Answer:

A

Question 8

Question Type: MultipleChoice

In order to decrease the occurrence of an inappropriate behavior effectively, a behavior analyst should simultaneously increase:

Options:

- A- reinforcement for all other behaviors.
- B- acceptable alternative behaviors.
- C- consequences for inappropriate behavior.
- D- response effort for incompatible behaviors.

Answer:

B

Question 9

Question Type: MultipleChoice

Available resources, applicable federal and state laws, programmatic costs, and a person's adaptive skills, learning history, and personal interests should all be considered as part of the process of:

Options:

A- collecting empirical data.

B- conducting a baseline of target behaviors.

C- manipulating ecological factors.

D- prioritizing goals and objectives.

Answer:

D

To Get Premium Files for BCBA Visit

<https://www.p2pexams.com/products/bcba>

For More Free Questions Visit

<https://www.p2pexams.com/bacb/pdf/bcba>

