



Free Questions for [DES-1423](#) by [go4braindumps](#)

Shared by [Holder](#) on [15-04-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

A user has recently left the company. After two weeks, the Isilon administrator receive a request to provide some files from the user's directory called `\ifs\user\John_Doe\development`. The administrator then discovers that the required files have been deleted, but a snapshot of the directory is available.

After restoring the files from the snapshot, which additional step is necessary to access the files?

Options:

- A- Restored files need to be copied from the `.snapshot` directory to the `.restore` directory.
- B- Permissions of the restored files need to be changed.
- C- Restored files need to be copied from the `.restore` directory to the user directory.
- D- Permissions of the user directory need to be changed.

Answer:

B

Question 2

Question Type: MultipleChoice

In an Isilon environment, what is a requirement to join multiple, untrusted Active Directory (AD) authentication sources to an access zone?

Options:

- A- Must use a common /ifs tree for all access zones.
- B- Only one of the AD provider instances can exist in a zone at one time.
- C- All untrusted AD provider instances must exist in all access zones.
- D- Must only join Active Directory domains in the same forest.

Answer:

D

Explanation:

81

Question 3

Question Type: MultipleChoice

A company plans to build two Isilon clusters in an active-active disaster recovery environment. The initial requirement is to have one access zone for their Finance department. Which recommended directory structure meets the requirement?

Options:

- A- Cluster_A:/ifs/cluster_a/finance/ifs/cluster_b/financeCluster_B:/ifs/cluster_a/finance/ifs/cluster_b/finance
- B- Cluster_A:/ifs/finance/ifs/financeCluster_B:/ifs/finance/ifs/finance
- C- Cluster_A:/ifs/finance/cluster_a/ifs/finance/cluster_bCluster_B:/ifs/finance/cluster_a/ifs/finance/cluster_b
- D- Cluster_A:/ifs/cluster_a/ifs/cluster_bCluster_B:/ifs/cluster_a/ifs/cluster_b

Answer:

A

Question 4

Question Type: MultipleChoice

An NFS export is created on the Isilon cluster. No clients are listed in the export rules. What is the client behavior when accessing the export?

Options:

- A- All clients on the network can access the export.
- B- No clients on the network can access the export.
- C- Clients can access the export with read-only permissions.
- D- Clients that access the export are mapped as root.

Answer:

A

Explanation:

260

Isilon Administration and Management participant guide

Question 5

Question Type: MultipleChoice

In an Isilon Gen 5 environment, what is the maximum number of data stripes for the N+3d:1n1d protection level?

Options:

A- 15

B- 16

C- 18

D- 20

Answer:

A

Explanation:

References:

324

Isilon Administration and Management participant guide

Question 6

Question Type: MultipleChoice

What is the minimum storage space needed on a datastore to hold InsightIQ?

Options:

A- 50 GB

B- 65 GB

C- 70 GB

D- 85 GB

Answer:

C

Question 7

Question Type: MultipleChoice

What is the maximum number of active Swift connections on a 5-node Isilon cluster?

Options:

A- 250

B- 500

C- 750

D- 1000

Answer:

C

To Get Premium Files for DES-1423 Visit

<https://www.p2pexams.com/products/des-1423>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/des-1423>

