

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question Type: MultipleChoice

A BIG-IP Administrator needs to configure the BIG-IP system to perform load balancing for FTP servers

running passive mode FTP.

How should the administrator configure the Virtual Server to perform this load balancing?

Options:

- A- A Standard Virtual Server + FTP profile
- B- A Forwarding Virtual Server
- C- A Performance Layer 4 Virtual Server + FTP profile
- D- A Message Routing Virtual Server

Answer:

А

Question 2

Question Type: MultipleChoice

Assuming that systems are synchronized, which action could take place if the fail over cable is connected correctly and working properly, but the systems cannot communicate over the network due to external network problems?

Options:

- A- If network failover is enabled, the standby system will assume the active mode.
- B- Whether or not network failover is enabled, the standby system will stay in standby mode.
- C- Whether or not network failover is enabled, the standby system will assume the active mode.

D- If network failover is enabled, the standby system will go into active mode but only until the network recovers.

Answer:

Question Type: MultipleChoice

Which three methods can be used for initial access to a BIG-IP system? (Choose three.)

Options:

- A- CLI access to the serial console port
- B- SSH access to the management port
- C- SSH access to any of the switch ports
- D- HTTP access to the managem<mark>ent port</mark>
- E- HTTP access to any of the switch ports
- F- HTTPS access to the management port
- G- HTTPS access to any of the switch ports

Answer:

A, B, F

Question 4

Question Type: MultipleChoice

A BIG-IP Administrator remotely connects to the appliance via out-of-band management using https://mybigip mycompany net. The management portal has been working all week. When the administrator attempts to login today, the connection times out. Which two aspects should the administrator verify? (Choose two)



Options:

- A- DNS is property resolving the FQDN of the device.
- B- The device is NOT redirecting them to http.
- C- The administrator has the latest version of the web browser.
- D- Packet Filters on the device are blocking port 80.
- E- The administrator has TCP connectivity to the device.

Answer:

Question Type: MultipleChoice

Which process or system can be monitored by the BIG-IP system and used as a failover trigger in a redundant pair configuration?

Options:

- A- bandwidth utilization
- B- duplicate IP address
- C- CPU utilization percentage
- D- VLAN communication ability

Answer:

D

Question 6

Question Type: MultipleChoice

A 8IG-IP Administrator configures a Virtual Server to load balance traffic between 50 webservers for an

ecommerce website Traffic is being load balanced using the Least Connections (node) method.

The webserver administrators report that customers are losing the contents from their shopping carts

and are unable to complete their orders.

What should the BIG-IP Administrator do to resolve the issue?

Options:

- A- Change Default Persistence Profile setting to cookie
- B- Change Load Balancing method to Ratio (member)
- C- Change Default Persistence Profile setting to sipjnfo
- D- Change Load Balancing method to Ratio (node)

Answer:

А

Question 7

Question Type: MultipleChoice

Where is the loadbalancing mode specified?



Options:

- A- within the pool definition
- B- within the node definition
- C- within the virtual server definition
- D- within the pool member definition

Answer:

А

Question 8

Question Type: MultipleChoice

Which three iRule events are likely to be seen in iRules designed to select a pool for load balancing? (Choose three.)



Options:

- A- CLIENT_DATA
- B- SERVER_DATA
- C- HTTP_REQUEST
- D- HTTP_RESPONSE
- E- CLIENT_ACCEPTED
- F- SERVER SELECTED
- G- SERVER_CONNECTED

Answer:

A, C, E

Question 9

Question Type: MultipleChoice

Which must be sent to the license server to generate a new license?

Options:

- A- the system's dossier
- B- the system's host name
- C- the system's base license
- D- the system's purchase order number

Answer:

А

Question 10

Question Type: MultipleChoice

Which statement is true about the synchronization process, as performed by the Configuration Utility or by typing b config sync all?

Options:

A- The process should always be run from the standby system.

B- The process should always be run from the system with the latest configuration.

C- The two /config/bigip.conf configuration files are synchronized (made identical) each time the process is run.

D- Multiple files, including /config/bigip.conf and /config/bigip_base.conf, are synchronized (made identical) each time the process is run.

Answer:

С

Question Type: MultipleChoice

A BIG-IP Administrator opens a case with F5 Support. The support engineer requests the BIG-IP

appliance chassis serial number.

Which TMSH command will provide this information?



Question 12

Question Type: MultipleChoice

The BIG-IP Administrator creates a custom iRule that fails to work as expected. Which F5 online resource should the administrator use to help resolve this issue?



Answer:

A

To Get Premium Files for 201 Visit

https://www.p2pexams.com/products/201

For More Free Questions Visit <u>https://www.p2pexams.com/f5-networks/pdf/201</u>



